

Consumer Connection Pits

Weight: 0.00kg


Dimensions: 0.00cm x 0.00cm x 0.00cm

Features

Consumer Connection Pits

Consumer connection pits are made of high strength HDPE and polypropylene plastic exhibits excellent weather and chemical stability for long installation life. Design embodies special ribbing for on site strength and stability. Pits are extendable. Pit lids are available in concrete and galvanised steel checkerplate.

Pit Nomenclature



Character Representation

- 1) **P**
 - 2) **I**
 - 3) **L**
 - 4) Refer table
 - 5) Accessory:
 - L** = Lid
 - R** = Riser
 - 6) Lid Material:
 - C** = Concrete
 - P** = Plastic
 - S** = Steel
 - 7) Lid security:
 - L** = Lockable (Steel Only)
 - T** = Tamper Proof (Standard)
 - 8) Lid marking:
 - C** = Communication
 - E** = Electrical
 - U** = (unmarked)
 - 9) Lid colour (for plastic only)
 - B** = Black
- or
- Lid Size:
 - 1** = Non-preferred one piece lid for larger size pits



Applicable for Lid part numbers only



Documentation

[Trade Catalogue](#) see p.28 - p.31

Part Tables

Pit / Lid	Lid Material	Overall Dim Pits - inside dims Lids - Per Pit	Weight (kg)
PIT1		419 x 155 x 350	3.00
PIT1LCT(E/C/U)	Concrete	1 lid per pit	8.00
PIT1LST(E/C/U)	Steel	1 lid per pit	4.80

Riser for PIT1 is PIT1, height increase from 100mm to 200mm

Pit / Lid	Lid Material	Overall Dim Pits - inside dims Lids - Per Pit	Weight (kg)
PIT2		553 x 180 x 514	6.00
PIT2LCT(E/C/U)	Concrete	1 lid per pit	16.00
PIT2LST(E/C/U)	Steel	1 lid per pit	7.70

Riser for PIT2 is PIT2, height increase from 100mm to 325mm

Pit / Lid	Lid Material	Overall Dim Pits - inside dims Lids - Per Pit	Weight (kg)
PIT5		580 x 330 x 580	12.00
PIT5S*		1 lid per pit	
PIT5LCT(E/C/U)	Concrete	1 lid per pit	30.00
PIT5LST(E/C/U)	Steel	1 lid per pit	16.20
PIT5LSL(C/U)	Steel	1 lid per pit	16.70

*Split base

Riser for PIT5 is PIT5R , height increase is 200mm to 450mm
Riser for PIT5S is PIT5S, height increase is 150mm to 370mm

Product Gallery