

# Overhead & Landing Span Fittings



## LSP

### Link (Single Plate) Galvanised Steel

Part Number	Rating kN	Hole Separation (mm)
LSP-070-#	70	#
LSP-120-#	120	#
LSP-160-#	160	#
LSP-210-#	210	#
LSP-270-#	270	#

#### Part Number System

LSP	Link Single Plate
070	Link Plate Rating (070, 120, 160 available)
#	Hole Separation (100, 150, 200, 250, 300, 350)

**Example:** LSP-070-100



## L

### Link (Double Plate) Galvanised Steel

Part Number	Rating (kN)	Hole Separation (mm)
L-070-#	70	#
L-120-#	120	#
L-160-#	160	#
L-210-#	210	#

#### Part Number System

L	Link Single Plate
070	Link Plate Rating (070, 120, 160 available)
#	Hole Separation (100, 150, 200, 250, 300, 350)

**Example:** L-070-100



## CTSL

### Clevis Tongue Sag Link Galvanised Steel

Part Number	Rating (kN)	Hole Ø (mm)	Range (mm)	
			Minimum	Maximum
CTSL-070-1	70	18	556	974
CTSL-120	120	18	565	870
CTSL-160-1	160	22	535	735
CTSL-210-1	210	22	535	735

#### Part Number System

CTSL	Clevis Tongue Sag Link
070	Sag Link Rating (070, 120, 160 available)



# Overhead & Landing Span Fittings



## MTL

### Maintenance Tension Link Galvanised Steel

Part Number	Tension Rating (kN)	Hole Centre Spacing (mm)
MTL-160-4	160	60



## YPT

### Yoke Plate Triangular Galvanised Steel

Part Number	Tension Rating (kN)	Hole Centre Spacing (mm)
YPT-070-#	70	#
YPT-120-#	120	#
YPT-160-#	160	#
YPT-210-#	210	#

#### Part Number System

YPT	Yoke Plate Triangular
070	Yoke Plate Rating (070, 120, 160 available)
#	Hole Separation (070, 100, 125, 150, 200, 250, 380, 460 available)

Example: YPT-070-100



## YPR

### Yoke Plate Rectangular Galvanised Steel

Part Number	Tension Rating (kN)	Hole Centre Spacing (mm)
YPR-070-#	70	#
YPR-120-#	120	#
YPR-160-#	160	#

#### Part Number System

YPR	Yoke Plate Rectangular
070	Yoke Plate Rating (070, 120, 160 available)
#	Hole Separation (070, 100, 125, 150, 200, 250, 380, 460 available)

Example: YPR-070-100

# Overhead & Landing Span Fittings

## BE

### Ball Eye Galvanised Steel



Part Number	Tension Rating (kN)	Ball Size (mm)
BE-070-1	70	16
BE-120	120	20
BE-160	160	20

## BC

### Ball Clevis Galvanised Steel



Part Number	Tension Rating (kN)	Bolt Size (mm)
BC-070-1	70	M16
BC-120-1	120	M16
BC-160-3	160	M20

## ET

### Eye Tongue Galvanised Steel



Part Number	Tension Rating (kN)
ET-070-1	70
ET-120-1	120
ET-160-1	160

## TET

### Twisted Eye Tongue Galvanised Steel



Part Number	Tension Rating (kN)
TET-070	70
TET-120-1	120
TET-160-1	160

# Overhead & Landing Span Fittings

## SB

### Socket Ball Galvanised Steel



- Available with 'W' or 'R' type security clips
- Used with deep skirt 'Fog' Insulators

Part Number	Tension Rating (kN)	Socket Size (mm)	Ball Size (mm)
SB-070-1	70	16	16
SB-120-3	120	20	20
SB-160-4	160	20	20

## SC

### Socket Clevis Galvanised Steel



Available with 'W' or 'R' type security clips.

Part Number	Tension Rating (kN)	Socket Size (mm)	Bolt Size (mm)
SC-070-1	70	16	M16
SC-120-1	120	16	M16
SC-160-1	160	20	M20

## TST

### Twisted Socket Tongue Galvanised forged Steel or Cast Iron



Available with 'W' or 'R' type security clips.

Part Number	Tension Rating (kN)	Bolt Size (mm)
TST-070-1	70	M16
TST-120-1	120	M16
TST-160-1	160	M20

## TC

### Tongue Clevis Galvanised Forged Steel



Part Number	Tension Rating (kN)	Bolt Size (mm)
TC-070-1	70	M16
TC-120-1	120	M16

# Overhead & Landing Span Fittings



## TCT

### Twisted Clevis Tongue Galvanised Forged Steel

Part Number	Tension Rating (kN)	Bolt Size (mm)
TCT-070-1	70	M16
TCT-160-1	160	M20



## S

### Shackle Galvanised forged Steel

Part Number	Tension Rating (kN)	Bolt Size (mm)
S-070-1	70	M16
S-120-1	120	M16
S-160-1	160	M20



## TBCC

### Turnbuckles - Clevis/Clevis Galvanised Forged Steel

Part Number	Rating (kN)	Bolt Size (mm)	Range (mm)	
			Minimum	Maximum
TBCC-070-1	70	M16	350	480
TBCC-160-1	160	M20	480	600



## TBCT

### Turnbuckles - Clevis/Tongue Galvanised forged Steel

Part Number	Rating (kN)	Bolt Size (mm)	Range (mm)	
			Minimum	Maximum
TBCT-070-1	70	M16	350	480
TBCT-160-1	160	M20	480	600



# Overhead & Landing Span Fittings



## TBEC

Turnbuckles - Eye/Clevis Galvanised forged Steel

Part Number	Rating (kN)	Bolt Size (mm)	Range (mm)	
			Minimum	Maximum
TBEC-070-1	70	M16	350	480
TBEC-160-1	160	M20	480	600



## TBEE

Turnbuckles - Eye/Eye Galvanised Forged Steel

Part Number	Rating (kN)	Range (mm)	
		Minimum	Maximum
TBEE-070-1	70	350	480
TBEE-160-1	160	480	600