


# Big-Grip Dead-end

**Weight:** 0.00kg

**Dimensions:** 0.00cm x 0.00cm x 0.00cm



## Description

The PREFORMED™ **Big Grip Dead End** is recommended for Stay termination or antennas, towers and other types of heavy duty construction. They are suitable for attachment at both the top and bottom of stays and also at stay insulators. Single and multiple stays can be terminated.

PREFORMED™ **Big Grip Dead Ends** are designed for termination of stays exceeding 27m in length. **Guy Grip Dead Ends** are recommended for stays less than 27m in length. PREFORMED™ **Big Grip Dead Ends** are available for a wide range of strand sizes.

**Big Grip Dead Ends** are intended for strand termination. For termination of wire rope, **Big Grip Wire Rope Dead Ends** are specified.

## Features

PREFORMED™ **Big Grip Dead Ends** are made of material compatible with the strand to which they are applied.

Lay direction must be the same as that of the outer layer of the strand with which it is used.

The loop of the **Big Grip Dead End** is designed for use with thimbles and stay rod eyes having smooth contours, diameters and groove widths which will adequately support the loop of the fitting.

For detailed method of installation refer to application instructions.

## **Documentation**

### **Application Procedures**

[SP-2049 \(Big-Grip Dead-End\)](#)

### **Preformed Line Products (GB) Ltd. Catalogue Pages:**

[Big-Grip Dead-End Transmission and Distribution Catalogue](#)

### **Corporate Catalogue Pages**

[Big-Grip Dead-End - Energy Transmission Catalogue](#)

[Big-Grip Dead-End - Communications Catalogue](#)

### **Part Tables**

**Preformed Line Products (GB) Ltd. Part Table:**

## *PREFORMED™ Big Grip Dead End-Galvanised Steel*

CATALOGUE No.	STRAND DIAMETER mm		COLOUR CODE	LENGTH mm	APPROX WEIGHT KGS PER 100	RHS KGS
	MIN	MAX				
BDE0802401	12.57	13.05	GREEN	1270	134	14819
BDE0802402	13.06	13.50	BLACK	1295	140	14819
BDE0802403	13.51	13.99	RED	1346	144	14819
BDE0802404	14.00	14.49	WHITE	1397	180	17994
BDE0802405	14.50	15.03	YELLOW	1473	266	18756
BDE0802406	15.04	15.51	GREEN	1499	234	18756
BDE0802407	15.52	15.97	BLACK	1524	236	18756
BDE0802408	15.98	16.42	RED	1676	315	22258
BDE0802409	16.43	16.91	ORANGE	1702	331	22258
BDE0802410	16.92	17.52	GREEN	1753	355	22258
BDE0802411	17.53	18.13	BLUE	1829	414	26717
BDE0802412	18.14	18.76	BLACK	1880	439	26717
BDE0802413	18.77	19.50	RED	1930	460	26717
BDE0802414	19.51	20.28	ORANGE	2032	533	30618
BDE0802415	20.29	20.92	GREEN	2083	544	30618
BDE0802416	20.93	21.55	BLUE	2108	566	30618
BDE0802417	21.56	22.22	BLACK	2184	703	30618
BDE0802418	22.23	22.98	RED	2235	726	36787
BDE0802419	22.99	23.74	ORANGE	2336	748	36787
BDE0802420	23.75	24.50	GREEN	2388	760	36787
BDE0802421	24.51	25.47	BLUE	2997	1157	44135

For transmission tower and antenna construction.

## Videos