

# Splice Shunt

**Weight:** 0.00kg

**Dimensions:** 0.00cm x 0.00cm x 0.00cm

## Description

The **PREFORMED™ Splice Shunt** is intended to restore the electrical and mechanical strength of a joint which has been found to develop abnormally high resistance.

## Features

The **Splice Shunt** will restore full conductivity to both ACSR and homogeneous conductors.

The **Splice Shunt** offers an economic and effective means of repair when compared to other methods e.g. lowering conductor, replacing with new section etc.

## Documentation

### Application Procedures

[SP-2734 \(Splice Shunt\)](#)

[SP-2577 \(Splice Shunt - Galvanized Strand\)](#)

[SP-3254 \(Splice Shunt - Distribution Construction\)](#)

## Preformed Line Products (GB) Ltd. Catalogue Pages

[Splice Shunt - Transmission and Distribution Catalogue Pages](#)

## Corporate Catalogue Pages

## [Splice Shunt - Catalogue](#)

### Sales Materials

## [Splice Shunt - Sell Sheet](#)

### Reports & Manuals

## [Overhead Distribution Line Repair Manual](#)

### Part Tables

#### **Preformed Line Products Ltd. - Corporate Part Tables:**

Distribution Splice Shunts										
Catalog Number	Diameter range (m)		Nominal Conductor Size	Units	Wt./ Lbs.	Overall Length (in)	Max Shunt Length (in)	Rod Diameter (in)	No. of Subsets	Color Code
	Min.	Max.		Per Carton						
SS-0001	0.232	0.257	#4, ACSR, AAC, AAAC	50	18	45	13.75	0.094	3 (3-3-3)	Orange
SS-0002	0.292	0.325	#2, ACSR, AAC, AAAC	50	26	51	13.75	0.102	4 (3-3-3-2)	Red
SS-0003	0.368	0.398	1/0, ACSR, AAC, AAAC	50	57	65	16.25	0.136	4 (3-3-2-2)	Yellow
SS-0004	0.414	0.462	2/0, ACSR, AAC, AAAC	50	63	68	16.25	0.154	4 (3-3-2-2)	Blue
SS-0005	0.464	0.503	3/0, ACSR, AAC, AAAC	25	47	77	23.5	0.167	4 (3-3-2-2)	Orange
SS-0006	0.522	0.567	4/0, ACSR, AAC, AAAC	25	68	85	23.5	0.204	3 (3-3-3)	Red
SS-0007	0.586	0.618	266.8, 18/1, ACSR, AAAC	10	38	96	23.5	0.218	4 (3-3-2-2)	Purple
SS-0008	0.619	0.644	266.8, 26/7, ACSR, AAAC	10	47	102	23.5	0.218	4 (3-3-2-2)	Yellow
SS-0009	0.666	0.700	336.4, 18/1, ACSR, AAAC	10	55	103	23.5	0.235	4 (3-3-2-2)	Orange
SS-0010	0.701	0.729	336.4, 26/7, ACSR	10	56	106	23.5	0.235	4 (3-3-2-2)	Green

## Videos