



# APPROVED PRODUCTS CATALOG

FOR FIBER OPTIC, COPPER, AND OVERHEAD PRODUCTS

SSI and MMID Numbers





## SALES CONTACTS



COMMUNICATIONS  
SALES


## CUSTOMER SUPPORT

### U.S. SUPPORT

Tel: 440.461.5200

Fax: 440.442.8816

Email: [info@plp.com](mailto:info@plp.com)





## TABLE OF CONTENTS

### COYOTE® FIBER OPTICS

COYOTE DTC Closures .....	4
COYOTE LCC Closures .....	5
COYOTE In-Line RUNT Closures .....	6
COYOTE ONE Dome Closures.....	8
COYOTE Dome Closures (6.5" x 17", 6.5" x 22").....	9
COYOTE Dome Closures (9.5" x 19", 9.5" x 28") .....	13
COYOTE HD (High-Density) Dome Closure.....	15
COYOTE HD (High-Density) Dome Closure Accessories .....	18
COYOTE Dual Chamber Terminal Closure .....	20
COYOTE Taut Closure .....	21
COYOTE Stainless Steel Vault Splice Case.....	21
COYOTE Closure Silicone Grommets.....	22
COYOTE Closure Splice Trays .....	22
COYOTE Closure Accessories .....	24
COYOTE Closure Mounting Brackets .....	26
COYOTE Legacy Closure Accessories .....	26
COYOTE Fiber Wall Plates .....	28
COYOTE Standard MPC (Multi-Purpose Closures) .....	29
COYOTE Deep MPC (Multi-Purpose Closure).....	30
COYOTE MPC (Multi-Purpose Closures) Accessories.....	31
COYOTE Fiber Cable Hoist Products.....	32

### SLACKLOOP® HARDWARE AND ACCESSORIES

SLACKLOOP® Cable Storage .....	33
FIBERLIGN Dielectric Dead-Ends & Accessories for ADSS Cable.....	34
FIBERLIGN Dielectric Support (FDS) for ADSS Cable.....	35

FIBERLIGN Aluminum Support (FAS) for ADSS Cable.....	35
FIBERLIGN Aluminum Suspension (FASN) w/ & w/o Structural Rods for ADSS Cable.....	36
FIBERLIGN Dielectric Dampers for ADSS Cable .....	36
FIBERLIGN Cable Abrasion Protector for ADSS Cable.....	36
ADSS-CORONA™ Coil .....	37
FIBERLIGN Downlead Cushions for ADSS Cable .....	37

### ARMADILLO® SPLICE CASES



ARMADILLO Stainless Steel Splice Cases .....	38
ARMADILLO Stainless Steel Splice Case End Plates .....	43
ARMADILLO Stainless Steel Splice Case Accessories.....	46
SERVISEAL® & BLACK-JACK™ Closures and Accessories.....	49
SERVI-BOND™ Shield Connectors .....	50
Pair Protectors .....	50

### OVERHEAD COMMUNICATIONS


Strand & Cable Products .....	50
Guy Guards, Tree Guards, and Pedestal Markers.....	53
Air Flow Spoilers .....	53
Pole Plugs .....	53
Safety Guy-Wire Dispenser.....	54
Cable Caps .....	54





# COYOTE® DTC CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8400	11182591 MMID 10796975	<p><b>COYOTE® DTC Closure, Splice Only, For Flat and Small Drop Cables</b> – Equipped With: (1) COYOTE DTC Closure Assembly, (4) 1-Hole Grommets 0.17"-0.25" and Flat Drop Cable, (2) LITE-GRIP® Single Fusion Splice Blocks, (1) LITE-GRIP Ribbon/Mass Fusion Splice Block and Cable Restraint Hardware</p> 	Max Splice Capacity	16 SF	Port Quantity	4
			Express Ribbons	2	Ground Studs	0
			Express Fibers	24	Above & Below Grade Application	
COYOTE8401	11283848 MMID 10796985	<p><b>COYOTE® DTC Closure, Splice Only, For Flat and Small Drop Cables</b> – Equipped With: (1) COYOTE DTC Closure Assembly, (3) 1-Hole Grommets 0.17"-0.25" and Flat Drop Cable, (1) 2-Hole Grommet 0.156"-0.170", (1) LITE-GRIP® Single Fusion Splice Block, (1) LITE-GRIP Ribbon/Mass Fusion Splice Block, (1) Splice Tray Kit and Cable Restraint Hardware</p> 	Max Splice Capacity	16 SF	Port Quantity	4
			Express Ribbons	2	Ground Studs	0
			Express Fibers	24	Above & Below Grade Application	



### Technical Specifications of the COYOTE DTC Closure









# COYOTE® LCC CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
VZ COYLCC-001	11083849 MMID 10796990	<p><b>COYOTE® LCC Closure</b> – Equipped With: (1) COYOTE LCC Closure Assembly, (2) 4-Hole Grommets 0.50"-0.60" and 0.125"-0.250" and Flat Drop Cable, (2) LITE-GRIP® Single Fusion Splice Blocks, (1) LITE-GRIP Ribbon/Mass Fusion Splice Block, (1) Splice Platform, (1) Dual Strength Member Bracket, (1) L-Strength Member Bracket, (4) Fiber Management Clips, Cable Restraint Hardware, and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	24 SF 72 MF	Port Quantity	2
			Express Ribbons	8	Ground Studs	0
			Express Fibers	48	Above & Below Grade Application	
VZ FRCOYLCC-001	11083848 MMID 10796965	<p><b>Flame Retardant COYOTE® LCC Closure</b> – Equipped With: (1) COYOTE LCC Closure Assembly, (2) 4-Hole Grommets 0.50"-0.60" &amp; 0.125"-0.250" and Flat Drop Cable, (2) LITE-GRIP® Single Fusion Splice Blocks, (1) LITE-GRIP Ribbon/Mass Fusion Splice Block, (1) Splice Platform, (1) Dual Strength Member Bracket, (1) L-Strength Member Bracket, (4) Fiber Management Clips, and Cable Restraint Hardware</p> 	Max Splice Capacity	24 SF 72 MF	Port Quantity	2
			Express Ribbons	8	Ground Studs	0
			Express Fibers	48	Indoor Use Only	

### Technical Specifications of the COYOTE LCC Closure





## COYOTE® IN-LINE RUNT CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8216	11023374 MMID 10796959	<p><b>COYOTE® In-Line RUNT Closure, Hermetically Sealed</b> – Equipped With: (1) COYOTE In-Line RUNT Closure Assembly with Integrated Cable Restraint Hardware, (1) 2-Hole Wide Range Grommet 0.42"-0.60" or 0.60"-0.85", (2) 2-Hole Grommets 0.42"-0.60", (1) 7-Hole Grommet 0.42"-0.60" &amp; 0.125"-0.250" and Flat Drop Cable, (1) Cable Restraint Bracket Kit, (1) Ribbon Organizer Kit, (1) 800012909 Universal, Short, Splice Tray, and (1) Universal Mounting Bracket</p>   	Max Splice Capacity	96 SF 288 MF	Port Quantity	4
			Express: Ribbons Buffer Tubes	18 8	Ground Studs	0
			Max Trays 800012909	2	Above & Below Grade Application	
COYOTE8203	11023369 MMID 10796982	<p><b>COYOTE® In-Line RUNT Closure, Free Breathing</b> – Equipped With: (1) COYOTE In-Line RUNT Closure Assembly with Integrated Cable Restraint Hardware, (1) 2-Hole Wide Range Grommet 0.42"-0.60" or 0.60"-0.85", (2) 2-Hole Grommets 0.42"-0.60", (1) 7-Hole Grommet 0.42"-0.60" &amp; 0.125"-0.250" and Flat Drop Cable, (1) Cable Restraint Bracket Kit, (1) Ribbon Organizer Kit, (1) Tubing Kit Consisting of: (1) 0.250" ID x 25" Long Transition Tube, (1) 0.375" OD x 36" Long Spiral Tube, (1) 800012909 Universal, Short, Splice Tray, and (1) Universal Mounting Bracket</p>   	Max Splice Capacity	96 SF 288 MF	Port Quantity	4
			Express: Ribbons Buffer Tubes	18 8	Ground Studs	0
			Max Trays 800012909	2	Above Grade Only	


# COYOTE® IN-LINE RUNT CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8802	11043138 MMID 10796986	<p><b>Flame Retardant COYOTE® In-Line RUNT Closure, Hermetically Sealed</b> – Equipped With: (1) COYOTE In-Line RUNT Closure Assembly with Integrated Cable Restraint Hardware, (2) 2-Hole Wide Range Grommet 0.42"-0.60" or 0.60"-0.85", (2) 4-Hole Grommets 0.30"-0.43", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) Cable Restraint Bracket Kit, (1) Ribbon Organizer Kit, (1) Torque Limiting Tool, (1) 800012909 Universal, Short, Splice Tray, and (1) Universal Mounting Bracket</p>	Max Splice Capacity	96 SF 288 MF	Port Quantity	4
			Express: Ribbons Buffer Tubes	18 8	Ground Studs	0
			Max Trays 800012909	2	Indoor Use Only	


## Technical Specifications of the COYOTE In-Line RUNT Closure





# COYOTE® ONE DOME CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE1002	11280571 MMID 10796958	<p><b>COYOTE® ONE Dome Closure for Buffer Tube or Ribbon, Universal Organizer</b> – Equipped With: (1) COYOTE ONE Dome End Plate with Organizer, Universal, (1) Dome, (1) Gasket, (1) Collar, (1) Transition Tube Kit Consisting of: (1) 0.135" ID x 25" Long Tube, (1) 0.170" ID x 25" Long Tube and (1) 0.25" ID x 25" Long Tube, (3) Short Strength Member Brackets, (2) 2-Hole Grommets 0.42"-0.60", and (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable</p> 	Max Splice Capacity	96 SF 288 MF	Port Quantity	3
			Express: Ribbons	24	Ground Studs	3
			Max Trays 80809958, 80808250, 80808945, LGSTR144	3, 2, 2, 2	Above & Below Grade Application	

### Technical Specifications of the COYOTE ONE Dome Closure





## COYOTE® DOME CLOSURE 6.5" X 17"




PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8217B	11016543	<p><b>6.5" x 17" COYOTE® Dome Closure for Single Fusion, Buffer Tube Organizer</b> – Equipped With: (1) COYOTE Dome 6.5" x 17" End Plate Organizer, Buffer Tube, (1) Dome, (1) Gasket, (1) Collar, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80811337 LITE-GRIP® Deep-Profile, Short, Splice Tray, and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	144 SF	Port Quantity	4
			Express: Buffer Tubes	16	Ground Studs	4
			Max Trays 80811337	3	Above & Below Grade Application	
COYOTE8217U	11016544 MMID 10796940	<p><b>6.5" x 17" COYOTE® Dome Closure for Ribbon, Shallow Slack Basket</b> – Equipped With: (1) COYOTE Dome 6.5" x 17" End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (2) Transition Tube Kit Consisting of: (1) 0.250" ID x 25" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80808250 LITE-GRIP Deep-Profile, Short, Splice Tray, 12 Ct. and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	144 SF 432 MF	Port Quantity	4
			Express: Ribbons	24	Ground Studs	4
			Max Trays 80808250	3	Above & Below Grade Application	





## COYOTE® DOME CLOSURE 6.5" X 17"

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8235XU	11053699 MMID 10796984	<p><b>6.5" x 17" COYOTE® Dome Closure for Ribbon, Expanded Slack Basket</b> – Equipped With: (1) COYOTE Dome 6.5" x 17" End Plate Organizer, Expanded Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (2) Transition Tube Kits Consisting of: (1) 0.250" ID x 25" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80811337 LITE-GRIP® Deep-Profile, Short, Splice Tray, and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	96 SF 288 MF	Port Quantity	4
			Express: Ribbons	24	Ground Studs	4
			Max Trays 80811337	2	Above & Below Grade Application	
COYOTE8805U	11073954 MMID 10796993	<p><b>Flame Retardant 6.5" x 17" COYOTE® Dome Closure for Buffer Tube or Ribbon, Shallow Slack Basket</b> – Equipped With: (1) COYOTE Dome 6.5" x 17" End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (2) Transition Tube Kits Consisting of: (1) 0.250" ID x 25" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80808250 LITE-GRIP Deep-Profile, Short, Splice Tray, 12 Ct., and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	144 SF 432 MF	Port Quantity	4
			Express: Ribbons Buffer Tubes	24 16	Ground Studs	4
			Max Trays 80808250	3	Indoor Use Only	

### Technical Specifications of the COYOTE 6.5" x 17" Dome Closure





## COYOTE® DOME CLOSURE 6.5" X 22"




PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8218B	11016541 MMID 10796960	<p><b>6.5" x 22" COYOTE® Dome Closure for Single Fusion, Buffer Tube Organizer</b> – Equipped With: (1) COYOTE Dome 6.5" x 22" End Plate Organizer, Buffer Tube, (1) Dome, (1) Gasket, (1) Collar, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80808251 LITE-GRIP® Deep-Profile, Long, Splice Tray, 36 Ct. and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	108 SF	Port Quantity	4
			Express: Buffer Tubes	24	Ground Studs	4
			Max Trays 80808251	3	Above & Below Grade Application	
COYOTE8218U	11016542 MMID 10796961	<p><b>6.5" x 22" COYOTE® Dome Closure for Ribbon, Shallow Slack Basket</b> – Equipped With: (1) COYOTE Dome 6.5" x 22" End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (2) Transition Tube Kit Consisting of: (1) 0.250" ID x 25" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80811338 LITE-GRIP Deep-Profile, Long, Splice Tray, and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	108 SF 648 MF	Port Quantity	4
			Express: Ribbons	36	Ground Studs	4
			Max Trays 80811338	3	Above & Below Grade Application	





## COYOTE® DOME CLOSURE 6.5" X 22"

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8240XU	11053700 MMID 10796983	<p><b>6.5" x 22" COYOTE® Dome Closure for Ribbon, Expanded Slack Basket</b> – Equipped With: (1) COYOTE Dome 6.5" x 22" End Plate Organizer, Expanded Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (2) Transition Tube Kits Consisting of: (1) 0.250" ID x 25" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 6-Hole Grommet 0.125"-0.250" and Flat Drop Cable, (1) 80811338 LITE-GRIP® Deep-Profile, Long, Splice Tray, and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	160 SF 432 MF	Port Quantity	4
			Express: Ribbons	36	Ground Studs	4
			Max Trays 80811338	2	Above & Below Grade Application	
COYOTE8806U	11073953 MMID 10796941	<p><b>Flame Retardant 6.5" x 22" COYOTE® Dome Closure for Buffer Tube or Ribbon, Shallow Slack Basket</b> – Equipped With: (1) COYOTE Dome 6.5" x 22" End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (2) Transition Tube Kits Consisting of: (1) 0.250" ID x 25" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 12-Hole Grommet Flat Drop Cable Only, (1) 80808251 LITE-GRIP Deep-Profile, Long, Splice Tray, 36 Ct., and (1) Universal Mounting Bracket</p> 	Max Splice Capacity	240 SF 648 MF	Port Quantity	4
			Express: Ribbons Buffer Tubes	36 24	Ground Studs	4
			Max Trays 80808251	3	Indoor Use Only	


### Technical Specifications of the COYOTE 6.5" x 22" Dome Closure



# COYOTE® DOME CLOSURE 9.5" X 19"

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8300B	11182594 MMID 10825617	<p><b>9.5" x 19" COYOTE® Dome Closure for Single Fusion, Buffer Tube Organizer</b> – Equipped With: (1) COYOTE Dome 9.5" x 19" End Plate Organizer, Buffer Tube, (1) Dome, (1) Gasket, (1) Collar, (1) Spiral Tube Kit Consisting of: (1) 0.375" OD x 36" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 2-Hole Grommets 0.42"-0.60", (2) 1-Hole Grommets 1.00"-1.25", and (1) 80808945 LITE-GRIP® Deep-Profile, Short, Splice Tray, 40 Ct.</p> 	Max Splice Capacity	288 SF	Port Quantity	7
			Express: Buffer Tubes	36	Ground Studs	7
			Max Trays 80808945	6	Above & Below Grade Application	
COYOTE8300U	11182595 MMID 10796964	<p><b>9.5" x 19" COYOTE® Dome Closure for Ribbon, Shallow Slack Basket</b> – Equipped With: (1) COYOTE Dome 9.5" x 19" End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Transition Tube Kit Consisting of: (1) 0.250" ID x 25" Long Tube, (1) Spiral Tube Kit Consisting of: (1) 0.375" OD x 36" Long Tube, (2) Long Strength Member Brackets, (2) Short Strength Member Brackets, (2) 2-Hole Grommets 0.42"-0.60", (2) 1-Hole Grommets 1.00"-1.25", and (1) LGSTR144 LITE-GRIP Deep-Profile, Short, Splice Tray, 144 Ct.</p> 	Max Splice Capacity	864 MF	Port Quantity	7
			Express: Ribbons	24	Ground Studs	7
			Max Trays LGSTR144	6	Above & Below Grade Application	

### Technical Specifications of the COYOTE 9.5" x 19" Dome Closure







## COYOTE® DOME CLOSURE 9.5" X 28"

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8219XU	11062231 MMID 10796974	<p><b>9.5" x 28" COYOTE® Dome Closure for Ribbon, Shallow Slack Basket</b> – Equipped With: (1) COYOTE Dome 9.5" x 28" End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Transition Tube Kit Consisting of: (1) 0.250" ID x 25" Long Tube, (1) Spiral Tube Kit Consisting of: (1) 0.375" OD x 36" Long Tube, (4) Long Strength Member Brackets, (2) 2-Hole Grommets 0.42"-0.60", (2) 1-Hole Grommets 1.00"-1.25", and (1) LGSTR216 LITE-GRIP® Deep-Profile, Long, Splice Tray, 216 Ct.</p>	Max Splice Capacity	1728 MF	Port Quantity	7
			Express: Ribbons	36	Ground Studs	7
			Max Trays LGSTR216	8	Above & Below Grade Application	
800016107	11362868 MMID 10830367	<p><b>9.5" x 28" COYOTE® Dome Closure for Ribbon, Deep Metal Slack Basket</b> – Equipped With: (1) COYOTE Dome 9.5" x 28" End Plate Organizer, Deep Metal Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Transport Tube Kit Consisting of: (6) 0.250" ID x 36" Long Tubes, (1) Spiral Tube Kit Consisting of: (12) 0.375" OD x 20" Long Tubes, (4) Long Strength Member Brackets, (2) 2-Hole Grommets 0.42"-0.60", (1) 1-Hole Grommet 0.60"-0.85", (2) 1-Hole Grommets 0.85"-1.00", (2) 1-Hole Grommets 1.00"-1.25", and (1) LGSTR216 LITE-GRIP Deep-Profile, Long, Splice Tray, 216 Ct.</p>	Max Splice Capacity	1080 MF	Port Quantity	7
			Express: Ribbons	72	Ground Studs	7
			Max Trays LGSTR216	5	Above & Below Grade Application	

### Technical Specifications of the COYOTE 9.5" x 28" Dome Closure



## COYOTE® HD (HIGH-DENSITY) DOME CLOSURE FOR RIBBON

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
800016003	11360971 MMID 10825636	<p><b>COYOTE® HD (High-Density) Dome Closure for Ribbon, No Basket for Cables Less Than 1.25" OD</b> – Equipped With: (1) COYOTE HD Dome End Plate Organizer, No Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Split Braided Sleeve Kit Consisting of: (12) 0.375" ID x 20" Long Tubes, (4) Long Strength Member Brackets, (2) Extended Strength Member Brackets for Large Central Strength Members, (2) 1-Hole Grommets 0.60"-0.85", (2) 1-Hole Grommets 0.85"-1.00", and (2) 1-Hole Grommets 1.00"-1.25".</p>	Max Splice Capacity	1728 MF 3456 CR <sup>1</sup>	Port Quantity	7
					Ground Studs	7
			Max Trays 80813121, 80813122 <sup>2</sup>	6,12	Above & Below Grade Application	
800016004	11360972 MMID 10825626	<p><b>COYOTE® HD (High-Density) Dome Closure for Ribbon, Shallow Slack Basket for Cables Less Than 1.25" OD</b> – Equipped With: (1) COYOTE HD Dome End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Split Braided Sleeve Kit Consisting of: (12) 0.375" ID x 20" Long Tubes, (1) Transport Tube Kit Consisting of: (6) 0.25" ID x 36" Long Tubes, (4) Long Strength Member Brackets, (2) Extended Strength Member Brackets for Large Central Strength Members, (2) 1-Hole Grommets 0.60"-0.85", (2) 1-Hole Grommets 0.85"-1.00", and (2) 1-Hole Grommets 1.00"-1.25".</p>	Max Splice Capacity	1152 MF 2304 CR <sup>1</sup>	Port Quantity	7
					Ground Studs	7
			Max Trays 80813121, 80813122 <sup>2</sup>	4, 8	Above & Below Grade Application	

<sup>1</sup> CR is an abbreviation for Collapsible Ribbon

<sup>2</sup> The 80813122 thin-profile splice tray can only be used for cables that contain SpiderWeb Ribbon (SWR) – AFL, Rollable Ribbon (RR) – OFS, Pliable Ribbon – Sumitomo, or FlexRibbon™ – Prysmian FlexRibbon™ is a registered trademark of Prysmian. SWR™ is a registered trademark of AFL. Rollable Ribbon is a registered trademark of OFS Fitel, LLC.



## COYOTE® HD (HIGH-DENSITY) DOME CLOSURE FOR RIBBON

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
800016005	11360973 MMID 10825627	<p><b>COYOTE® HD (High-Density) Dome Closure for Ribbon, No Basket for Cables Greater Than 1.25" OD</b> – Equipped With: (1) COYOTE HD Dome End Plate Organizer, No Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Split Braided Sleeving Kit Consisting of: (12) 0.375" ID x 20" Long Tubes, (4) Long Strength Member Brackets, (2) Extended Strength Member Brackets for Large Central Strength Members, (2) 1-Hole Grommets 0.60"-0.85", (2) 1-Hole Grommets 0.85"-1.00", (2) 1-Hole Grommets 1.00"-1.25", and (2) 1-Hole Grommets 1.25"-1.38".</p>	Max Splice Capacity	1728 MF 3456 CR <sup>1</sup>	Port Quantity	7
					Ground Studs	7
			Max Trays 80813121, 80813122 <sup>2</sup>	6,12	Above & Below Grade Application	
800016006	11360974 MMID 10825637	<p><b>COYOTE® HD (High-Density) Dome Closure for Ribbon, Shallow Slack Basket for Cables Greater Than 1.25" OD</b> – Equipped With: (1) COYOTE HD Dome End Plate Organizer, Shallow Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Split Braided Sleeving Kit Consisting of: (12) 0.375" ID x 20" Long Tubes, (1) Transport Tube Kit Consisting of: (6) 0.25" ID x 36" Long Tubes, (4) Long Strength Member Brackets, (2) Extended Strength Member Brackets for Large Central Strength Members, (2) 1-Hole Grommets 0.60"-0.85", (2) 1-Hole Grommets 0.85"-1.00", (2) 1-Hole Grommets 1.00"-1.25", and (2) 1-Hole Grommets 1.25"-1.38".</p>	Max Splice Capacity	1152 MF 2304 CR <sup>1</sup>	Port Quantity	7
					Ground Studs	7
			Max Trays 80813121, 80813122 <sup>2</sup>	4, 8	Above & Below Grade Application	


<sup>1</sup> CR is an abbreviation for Collapsible Ribbon

<sup>2</sup> The 80813122 thin-profile splice tray can only be used for cables that contain SpiderWeb Ribbon (SWR) – AFL, Rollable Ribbon (RR) – OFS, Pliable Ribbon – Sumitomo, or FlexRibbon™ – Prysmian FlexRibbon™ is a registered trademark of Prysmian. SWR® is a registered trademark of AFL. Rollable Ribbon is a registered trademark of OFS Fitel, LLC.

## COYOTE® HD (HIGH-DENSITY) DOME CLOSURE FOR RIBBON







PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
800016381	11368447 MMID 10853149	<p><b>COYOTE® HD (High-Density) Dome Closure for Ribbon, Deep Metal Slack Basket for Cables Less Than 1.25" OD</b> – Equipped With:</p> <p>(1) COYOTE HD Dome End Plate Organizer, Deep Metal Slack Basket, (1) Dome, (1) Gasket, (1) Collar, (1) Split Braided Sleeving Kit Consisting of: (12) 0.375" ID x 20" Long Tubes, (4) Long Strength Member Brackets, (2) Extended Strength Member Brackets for Large Central Strength Members, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (2) 1-Hole Grommets 0.85"-1.00", (2) 1-Hole Grommets 1.00"-1.25", (3) 80813121 COYOTE HD Deep-Profile Splice Tray, 288 Ct., and (1) Universal Mounting Bracket.</p> <p>End Plate with High Density Organizer with Deep Transition Tray (1)</p> <p>Dome (1)</p> <p>Universal Mounting Hanger Bracket Kit (1)</p> <p>End Plate Gasket (1)</p> <p>Collar (1)</p> <p>1 Hole Grommet Kit (40"-60" Cable Diameter) - Contains 1 Grommets (2)</p> <p>1 Hole Grommet Kit (60"-85" Cable Diameter) - Contains 2 Grommets (1)</p> <p>High Density Dome Small Parts Bag (1)</p> <p>Split Braided Wrap Sleeving Kit - Contains 12 Pieces, 20" Long (1)</p> <p>1 Hole Grommet Kit (85"-1.00" Cable Diameter) - Contains 2 Grommets (1)</p> <p>1 Hole Grommet Kit (1.00"-1.25" Cable Diameter) - Contains 2 Grommets (1)</p> <p>Long Deep Profile 288ct HD Flip Splice Tray (3)</p> <p>Small Parts Bag (1)</p>	Max Splice Capacity	864 MF	Port Quantity	7
			Ground Studs		7	
			Max Trays 80813121	3	Above & Below Grade Application	

### Technical Specifications of the COYOTE HD (High-Density) Dome Closure










## COYOTE® HD (HIGH-DENSITY) DOME CLOSURE SPLICE TRAYS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80813121	11360975 MMID 10825652	COYOTE HD Deep-Profile Flip Tray, 288 Ct. Mass Fusion for the COYOTE HD (High-Density) Dome Closure Only	
80813779	10926241 MMID 75007797	COYOTE HD Deep-Profile Flip Tray, 576 Ct. Mass Fusion for the COYOTE HD (High-Density) Dome Closure Only	
80813122 <sup>1</sup>	11360976 MMID 10825645	COYOTE HD Thin-Profile Flip Tray, 288 Ct. Mass Fusion for the COYOTE HD (High-Density) Dome Closure Only. Can only be used with OFS Rollable Ribbon, Sumitomo Pliable Ribbon, AFL SpiderWeb Ribbon, or Prysmian FlexRibbon™ Cables.	
80813123 <sup>1</sup>	11365924 MMID 10836424	COYOTE HD Thin-Profile Flip Tray, 72 Ct. Single Fusion for the COYOTE HD (High-Density) Dome Closure Only	
80813301 <sup>1</sup>	11365923 MMID 10836433	COYOTE HD Thin-Profile Flip Tray, 108 Ct. Single Fusion for the COYOTE HD (High-Density) Dome Closure Only	
80813362	11363952 MMID 10830557	Splice Block Kit – Includes (6) 12 Ct. Single Fusion Splice Blocks to be used in the COYOTE HD Splice Trays, 80813121, 80813122, 80813123, and 80813301.	

<sup>1</sup> The 80813122, 80813123 and 80813301 thin-profile splice trays can only be used for cables that contain SpiderWeb Ribbon (SWR) – AFL, Rollable Ribbon (RR) – OFS, Pliable Ribbon – Sumitomo, or FlexRibbon™ – Prysmian FlexRibbon™ is a registered trademark of Prysmian. SWR is a registered trademark of AFL. Rollable Ribbon is a registered trademark of OFS Fitel, LLC.

## COYOTE® HD (HIGH-DENSITY) DOME CLOSURE ACCESSORIES


PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80813267	11360977 MMID 10825649	Deep Transition Tray Kit for up to 864 Expressed Ribbon Applications for the COYOTE HD Dome Closure Only	
80061500	MMID 10838907	COYOTE HD Breakout Kit for Unitube Cables. Compatible with Unitube cables up to 864F. Note this kit can be used in the following catalog numbers: COYOTE8219XU, 800016107, 800016003, 800016004, 800016005, 800016006, and 800016381.	
8004154	11360978 MMID 10825629	125' Spool of Braided Expandable Sleeving, 3/8" Diameter, Blue	
8004155	11360979 MMID 10825630	125' Spool of Braided Expandable Sleeving, 3/8" Diameter, Orange	
8004156	11360980 MMID 10825642	125' Spool of Braided Expandable Sleeving, 3/8" Diameter, Green	

## COYOTE® HD (HIGH-DENSITY) DOME CLOSURE ACCESSORIES


PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8004157	11360981 MMID 10825643	125' Spool of Braided Expandable Sleeving, 3/8" Diameter, Brown	
8004158	11360982 MMID 10825639	125' Spool of Braided Expandable Sleeving, 3/8" Diameter, Slate	
8004159	11360983 MMID 10825644	125' Spool of Braided Expandable Sleeving, 3/8" Diameter, White	
8004174	11372376 MMID 10862105	100' Spool of Split Wrap, 3/8" Diameter, Blue	
8004175	11372375 MMID 10862154	100' Spool of Split Wrap, 3/8" Diameter, Orange	
8004176	11372374 MMID 10862147	100' Spool of Split Wrap, 3/8" Diameter, Green	
8004177	11372373 MMID 10862153	100' Spool of Split Wrap, 3/8" Diameter, Brown	
8004178	11372372 MMID 10862106	100' Spool of Split Wrap, 3/8" Diameter, Slate	
8004167	11371760 MMID 10862164	100' Spool of Split Wrap, 3/8" Diameter, White	
8004168	11371759 MMID 10862165	100' Spool of Split Wrap, 3/8" Diameter, Black	
80813518	11371758 MMID 10862166	Wire Loom Insertion Tool for Split Wrap	
80812881	11328393 MMID 10796957	100' Roll of 0.50" ID Spiral Wrap Tubing	
80813124	11360984 MMID 10825601	Splice Tray Locking Pin Kit – Includes (5) Tray Locking Pins – Used for locking tray stacks in place. Will be a consumable due to the clipping of the lock pin to match tray stack height. For the COYOTE HD Dome Closure Only	
80813125	11360985 MMID 10825648	Splice Tray Tether Kit – Includes (6) Splice Tray Tether Straps – Used for additional support of splice trays when in a hinged position. For the COYOTE HD Dome Closure Only	




## COYOTE® DUAL CHAMBER CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8803	11053701 MMID 10796976	<p><b>Flame Retardant COYOTE® Dual Chamber Closure for Buffer Tube or Ribbon</b> – Equipped With: (1) COYOTE Dual Chamber Closure Assembly with Integrated Cable Restraint Hardware and Pass Through Hole, (1) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (1) 1-Hole Grommet 0.85"-1.00", (2) 7-Hole Grommet 0.42"-0.60" &amp; 0.125"-0.250" and Flat Drop Cable, (2) Spiral Tubing Kits Consisting of: (1) 0.375" ID x 72" Long Tube, (1) Torque Limiting Tool, and (2) 80808250 LITE-GRIP®, Deep-Profile, Short, Splice Tray, 12 Ct.</p> 	Max Splice Capacity	192 SF 432 MF	Port Quantity	8
			Express: Ribbons Buffer Tubes	18 8	Ground Studs	0
			Max Trays 80808250	4	Indoor Use Only	


### Technical Specifications of the COYOTE Dual Chamber Closure




## COYOTE® TAUT CLOSURE

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8700	353803 MMID 10825664	<p><b>COYOTE® Taut Closure for Buffer Tube</b> – Equipped With: (1) COYOTE 6.5" End Plate with Organizer, (2) 6.5" x 38" Shell Halves, (1) Bolt Bar Assembly, (2) 1-Hole Grommets 0.40"-0.60", (2) 1-Hole Grommets 0.60"-0.85", (2) Ground Wire Assemblies, (1) Aerial Hanger Bracket and Cable Restraint Hardware</p> 	Max Splice Capacity	12 SF	Port Quantity	8
			Applications	In-Line or Butt	Ground Studs	8
			Above Grade Only			

### Technical Specifications of the COYOTE Taut Closure














## COYOTE® VAULT SPLICE CASE 9.5" X 28"







PLP Part Number	Verizon SSI Code	Component Breakdown	Visual Depiction
COYOTE8230UB	11023378	<p><b>Flame Retardant 9.5" x 28" COYOTE® Vault Splice Case for Buffer Tube or Ribbon</b> – Equipped With: (2) 9.5" x 28" Shell Halves, (1) Organizer, (1) 9.5" Flame Retardant 2-Section Drillable End Plate, (1) 9.5" Flame Retardant 4-Section Drillable End Plate Kit, (1) Transport Tube Kit Consisting of: (1) 0.250" ID x 100' Long Tube, (6) Strength Member Brackets, (1) Tube of Silicone, and (6) 80808251 LITE-GRIP® Deep-Profile, Long, Splice Tray, 36 Ct.</p> <p>(Factory predrilled for 864 Ct. fiber cable end plates are available. Closure is designed for one 864 Ct. fiber cable and four 216 Ct. or 144 Ct. tip cables)</p>	



## COYOTE® CLOSURE SILICONE GROMMETS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003691	11023365 MMID 10778898	1-Hole Silicone Grommet 0.40"-0.60" Cable Diameter Range	
8003692	11023366 MMID 10778915	1-Hole Silicone Grommet 0.60"-0.85" Cable Diameter Range	
8003693	11023367 MMID 10778897	1-Hole Silicone Grommet 0.85"-1.00" Cable Diameter Range	
8003694	11023425 MMID 10778906	1-Hole Silicone Grommet 1.00"-1.25" Cable Diameter Range	
8003663	11017879 MMID 10796921	2-Hole Silicone Grommet 0.42"-0.60" Cable Diameter Range	
8003664	11017880 MMID 10796972	4-Hole Silicone Grommet 0.30"-0.43" Cable Diameter Range	
8003665	11016545 MMID 10796947	6-Hole Silicone Grommet 0.125"-0.250" Cable Diameter Range & Flat Drop Cable	
8003676	11023362 MMID 10796937	7-Hole Silicone Grommet (1-Hole: 0.42"-0.60" Cable Diameter Range and 6-Holes: 0.125"-0.250" Cable Diameter Range & Flat Drop Cable)	
8003677	11023363 MMID 10796954	8-Hole Silicone Grommet 0.125"-0.250" Cable Diameter Range & Flat Drop Cable	
8004122	11360987 MMID 10825638	2-Hole Silicone Grommet for RPX Cable Only – For use in the COYOTE ONE, 6.5" & 9.5" Dome Closures	
8004152	11360986 MMID 10825628	3-Hole Silicone Grommet for RPX Cable and 0.125"-0.250" Cable Diameter Range & Flat Drop Cable – For use in the COYOTE LCC for Aerial Applications Only	

## COYOTE® CLOSURE SPLICE TRAYS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80809958	11315013 MMID 10778877	COYOTE LITE-GRIP® Short Low Profile Splice Tray for Single Fusion Splices, 24 Ct.	
80808250	11036252 MMID 10796949	COYOTE LITE-GRIP Short Deep Profile Splice Tray for Single Fusion Splices, 12 Ct.	
LGSTS16	11053702 MMID 10797002	COYOTE LITE-GRIP Short Deep Profile Splice Tray for Double Stacked Single Fusion Splices, 16 Ct.	
80808945	11372254 MMID 10862148	COYOTE LITE-GRIP Short Deep Profile Splice Tray for Double Stacked Single Fusion Splices, 40 Ct.	
LGSTR144	11053704 MMID 10796995	COYOTE LITE-GRIP Short Deep Profile Splice Tray for Mass Fusion Splices, 144 Ct.	
80810086	11315012 MMID 10778876	COYOTE LITE-GRIP Long Standard Profile Splice Tray for Single Fusion Splices, 36 Ct.	

## COYOTE® CLOSURE SPLICE TRAYS CONTINUED

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80808251	11036251 MMID 10778907	COYOTE LITE-GRIP Long Deep Profile Splice Tray for Single Fusion Splices, 36 Ct.	
LGSTS40	11053703 MMID 10796988	COYOTE LITE-GRIP® Long Deep Profile Splice Tray for Double Stacked Single Fusion Splices, 40 Ct.	
LGSTS72	11372255 MMID 10862149	COYOTE LITE-GRIP Long Deep Profile Splice Tray for Double Stacked Single Fusion Splices, 72 Ct.	
LGSTR216	11053705 MMID 10796989	COYOTE LITE-GRIP Long Deep Profile Splice Tray for Mass Fusion Splices, 216 Ct.	
800012909	11073249 MMID 10796889	Universal Short Splice Tray	
800012908	11073248 MMID 10796927	Universal Long Splice Tray	
80807701	11019290 MMID 10796953	COYOTE Legacy Short Low Profile Splice Tray for Single Fusion Splices, 12 Ct.	
80806033	586929 MMID 10560673	COYOTE Legacy Short Standard Profile Splice Tray for Single Fusion Splices, 12 Ct.	
80807114	926711 MMID 10796931	COYOTE Legacy Short Deep Profile Splice Tray for Mass Fusion Splices, 72 Ct.	
80805514	87016617 MMID 10778895	COYOTE Legacy Long Standard Profile Splice Tray for Single Fusion Splices, 36 Ct.	
8001127	926710	COYOTE Legacy Long Low Profile Splice Tray for Single Fusion Splices, 36 Ct.	
11622042	510577	COYOTE Legacy Long Standard Profile Splice Tray, Blank	
80805515	87234913 MMID 10796946	COYOTE Legacy Long Deep Profile Splice Tray for Mass Fusion Splices, 144 Ct.	
11622016	427595	COYOTE Legacy Long Deep Profile Splice Tray for Mass Fusion Splices, 144 Ct.	
8003814	11049976	COYOTE LCC Splice Platform, 24 Ct.	



## COYOTE® CLOSURE SPLICE TRAY ACCESSORIES

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003882	11073247	Splice Block Kit – Includes (6) Foam Splice Blocks This kit can be used in the following catalog numbers: 800012908 and 800012909	
LGRS1-25B	11058000 MMID 10796992	Retention Sleeve Kit – Includes (25) LITE-GRIP® 1-Hole Retention Sleeves, Blue	
LGRS1-250R	11057999 MMID 10796977	Retention Sleeve Kit – Includes (25) LITE-GRIP 1-Hole Retention Sleeves, Orange	
LGRS6-25B	11058003	Retention Sleeve Kit – Includes (25) LITE-GRIP 6-Hole Retention Sleeves, Blue	
LGRS6-250R	11058002	Retention Sleeve Kit – Includes (25) LITE-GRIP 6-Hole Retention Sleeves, Orange	
LGRS6-25G	11058001	Retention Sleeve Kit – Includes (25) LITE-GRIP 6-Hole Retention Sleeves, Green	
LGRO-25B	11057450	Ribbon Manager Kit – Includes (25) LITE-GRIP Ribbon Managers, Blue	
LGRO-250R	11057451	Ribbon Manager Kit – Includes (25) LITE-GRIP Ribbon Managers, Orange	
11622040	510579	Splice Block Kit – Includes (3) 12 Ct. Elastomeric Single Fusion Splice Blocks, Light Blue	
LGBSB8-5	11053706 MMID 10796987	Splice Block Kit – Includes (5) LITE-GRIP 8 Ct. Double Stacked Single Fusion Splice Blocks, Yellow	
LGSR3-5	11053707 MMID 10796994	Splice Block Kit – Includes (5) LITE-GRIP 36 Ct. Mass Fusion Splice Blocks, Purple	
80802962	510580	Felt Tape 3/4" wide x 9" long	

## COYOTE® CLOSURE ACCESSORIES CONTINUED

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80807989	11030435 MMID 10796938	100' Spool of 0.17" ID Transport Tube	
80807991	11030436 MMID 10796973	100' Spool of 0.25" ID Transport Tube	
8003176	353802	Transport Tube Kit – Includes (8) 0.135" ID x 35" Long Tubes	
80806439	11023368 MMID 10796962	Transport Tube Kit – Includes (6) 0.170" ID x 34" Long Tubes	
8003280	469215	Transport Tube Kit – Includes (1) 0.135" ID x 24" Long Tubes, (1) 0.170" ID x 24" Long Tube and (1) 0.250" ID x 24" Long Tube	
8003681	MMID 10778886	COYOTE Dome 6.5" End Plate Kit – Includes (2) 1-Hole Grommets 0.40"-0.60" and (2) 1-Hole Grommets 0.60"-0.85"	
8003839	MMID 10778914	COYOTE Dome 9.5" End Plate Kit – Includes (2) 1-Hole Grommets 0.60"-0.85" and (2) 1-Hole Grommets 0.85"-1.00"	
80807332	11315015 MMID 10825631	COYOTE 6.5" Dome Collar – Used with COYOTE 6.5" x 17" and 6.5" x 22" Dome Closure	
80061193	11315016 MMID 10825640	COYOTE 6.5" Dome Collar and Gasket – Used with COYOTE 6.5" x 17" and 6.5" x 22" Dome Closure	
80061477	MMID 10825641	COYOTE 9.5" Dome Collar and Gasket – Used with COYOTE 9.5" x 19", 9.5" x 28" and HD Dome Closure	
8003855	11064215	Bolt Kit – 10 Pack for COYOTE Dome End Cap	
8003854	11064216	Bolt Kit – 10 Pack for COYOTE In-Line RUNT Cover Closure	
80812533	11380955	COYOTE DTC Opening Tool – A tool to aid the ease of use to open and re-enter the COYOTE DTC. The three tapered prongs are used to wedge between the COYOTE DTC Cover Snaps and Base to easily re-enter the COYOTE DTC.	
COYEPFIX1	11048730 MMID 108303	End Plate Fixture Assembly for the 6.5", 9.5" and COYOTE HD Dome Closures	
80061335	MMID 10830375	Deep Metal Slack Basket Kit (2.05" Depth) for up to 576 Expressed Ribbon Applications. For the Standard COYOTE 9.5" x 28" Dome Closure Only (COYOTE8219XU Slack Basket Field Replacement Swap)	
80061495	11362869 MMID 10830536	Deep Metal Slack Basket Kit (2.85" Depth) for up to 864 Expressed Ribbon Applications. For the Standard COYOTE 9.5" x 28" Dome Closure Only (COYOTE8219XU Slack Basket Field Replacement Swap)	












## COYOTE® CLOSURE ACCESSORIES CONTINUED

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80810011	11181381	COYOTE 6.5" x 17" Dome Closure Ribbon/Unitube Organizer with Expanded Slack Basket	
8004007	11181380 MMID 10796936	COYOTE 6.5" x 22" Dome Closure Ribbon/Unitube Organizer with Expanded Slack Basket	
80803633	11086579	4-Port Cable Retention Bobbin Kit	
80811036	11128570	6-Port Drop Cable Retention Bobbin Kit	
80812928	11372256 MMID 10862107	6/8-Port Drop Cable Retention Bobbin Kit	
8003175	353801	Strength Member Bracket Kit – Includes (4) Short Strength Member Brackets	
8003583	11064217 MMID 10796930	Silicone Lubricant Kit – Includes (6) 5 Gram Packets	



## COYOTE® CLOSURE MOUNTING BRACKETS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003830	11086580 MMID 10796983	COYOTE LCC Pole/Wall Mounting Bracket Kit	
8003704	11030434	COYOTE In-Line RUNT & Terminal Closure (Single Chamber) Aerial Mounting Bracket	
8003703	11372377 MMID 10862146	COYOTE In-Line RUNT & Terminal Closure Pole/Wall Mounting Bracket Kit	
8003705	11032792	COYOTE Terminal Closure (Dual Chamber) Offset Aerial Mounting Bracket Kit	
EVOBKT-ALC	11280701	COYOTE ONE Low Clearance Aerial Mounting Bracket Kit – Strand Applications	
EVOBKT-AE	11281275	COYOTE ONE Adjustable Offset Aerial Mounting Bracket Kit – Strand Applications	
EVOBKT-PWM	11280700	COYOTE ONE Dome Pole/Wall Mounting Bracket Kit	




## COYOTE® CLOSURE MOUNTING BRACKETS CONTINUED

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003831	11063514	COYOTE 6.5" Dome and Terminal Dome Aerial Mounting Bracket Kit – Strand Applications	
8003851	11063513 MMID 10796934	COYOTE 6.5" Dome and Terminal Dome Adjustable Offset Aerial Mounting Bracket Kit – Strand Applications	
8003702	11074514	COYOTE 6.5" Dome & Terminal Dome Pole/Wall Mounting Bracket Kit	
8003941	11068025	COYOTE 9.5" Dome & Terminal Dome End Plate Adjustable Offset Aerial Mounting Bracket Kit – Strand Applications	
8003940	11068024 MMID 10796939	COYOTE 9.5" Dome & Terminal Dome Aerial Mounting Bracket Kit – Strand Applications	
8004037	11182593 MMID 10796955	COYOTE 9.5" Dome & Terminal Dome Adjustable Offset Aerial Mounting Bracket Kit – Strand Applications	
8003942	11068026 MMID 10778884	COYOTE 9.5" Dome & Terminal Dome Pole/Wall Mounting Bracket Kit	
8003860	11063512	COYOTE Universal Mounting Bracket Kit – Includes (3) Sets of Brackets	
8003835	11182592	COYOTE Universal Mounting Bracket Kit – Handhole Applications	


## COYOTE® FIBER WALL PLATES

PLP Part Number	Verizon SSI Code	Component Breakdown	Visual Depiction
8006992W	11031944	<b>COYOTE® Fiber Wall Plate, White</b> – Equipped With: (1) Base, (1) Cover, (1) SC/APC Factory Installed Adapter and (1) Mounting Hardware Kit	
8006992IV	11031943	<b>COYOTE® Fiber Wall Plate, Ivory</b> – Equipped With: (1) Base, (1) Cover, (1) SC/APC Factory Installed Adapter and (1) Mounting Hardware Kit	

## COYOTE® STANDARD MPC

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8500	11049973	<p><b>COYOTE® Standard MPC</b> – Equipped With: (1) COYOTE Standard MPC, OptiTap® Adapter Bulkhead with (2) Adapters, (1) Adapter Port Shroud, (1) Organizer Clip Kit, (1) Storage Bracket Kit, (1) 4-Hole Grommet Port Adapter Kit 0.120"-0.275", and (1) 8-Hole Grommet Port Adapter Kit 0.120"-0.200"</p> 	Max Splice Capacity	96 SF	Max Trays 80809958, LGSTS16, 80808945	4 2 2
			Max Adapter Capacity	2 OptiTap Adapters		
COYOTE8510	11289993	<p><b>COYOTE® Standard MPC</b> – Equipped With: (1) COYOTE Standard MPC, (2) Organizer Clip Kit and (1) Stepped Grommet Kit 0.070"-1.00"</p> 	Max Splice Capacity	96 SF	Max Trays 80809958, LGSTS16, 80808945	4 2 2
			Max Adapter Capacity	16 ST 24 SC 48 LC		
COYOTE8512	11061051	<p><b>COYOTE® Standard MPC</b> – Equipped With: (1) COYOTE Standard MPC, (2) Organizer Clip Kit, (1) Splice Tray Support Kit, (1) Empty Bulkhead Kit, (1) Stepped Grommet Kit 0.070"-1.00", (1) Cable Restraint Bracket, and (1) LGSTS16 LITE-GRIP® Deep-Profile, Short, Splice Tray, 16 Ct.</p> 	Max Splice Capacity	96 SF	Max Trays 80809958, LGSTS16, 80808945	4 2 2
			Max Adapter Capacity	16 ST 24 SC 48 LC		


### Technical Specifications of the COYOTE Standard MPC



## COYOTE® DEEP MPC

PLP Part Number	Verizon SSI Code	Component Breakdown	Closure Capabilities			
COYOTE8540	11289992	<p><b>COYOTE® Deep MPC</b> – Equipped With: (1) COYOTE Deep MPC, (1) Dual Organizer Clip Kit and (1) Stepped Grommet Kit 0.070"-1.00"</p> <p>Base &amp; Cover (1)</p> <p>Stepped Grommet Kit for .070"-1.00" Cable Diameters (1)</p> <p>Dual Organizer Clip Kit (1)</p> <p>Small Parts Bag (1)</p>	Max Splice Capacity	288 SF	Max Trays 80809958, LGSTS16, 80808945	12 6 6
			Max Adapter Capacity	32 ST 48 SC 96 LC		

### Technical Specifications of the COYOTE Deep MPC









## COYOTE® MPC ACCESSORIES














PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003827	11057445	1-Hole Grommet Port Adapter 0.40"-0.60"	
8003826	11057444	1-Hole Grommet Port Adapter 0.60"-0.825"	
8003825	11057443	1-Hole Grommet Port Adapter 0.825"-1.00"	
8003828	11057446	2-Hole Grommet Port Adapter 0.275"-0.500"	
8003812	11057447	4-Hole Grommet Port Adapter 0.120"-0.275"	
8003818	11057448	8-Hole Grommet Port Adapter 0.120"-0.200"	
80808618	11053688	Stepped Grommet Kit 0.070"-1.00"	
80808634	11067568	Bolt Kit – 5 Pack for COYOTE MPC Cover	
8003813	11049975	Organizer Clip Kit – Includes (3) Clips	
8003811	11049974	Storage Bracket Kit – Includes (2) Brackets	
8003829	11057449	Cable Restraint Bracket Kit – Includes (1) Restraint Bracket	
80808467	11049977	Adapter Port Shroud	
80808918	11068023	OptiTap™ 2-Port Internal Bracket Kit	
8003824	11056134	OptiTap™ 8-Port Internal Bracket Kit	
80808916	11262520	Empty Bulkhead Kit – Accepts 2 Adapter Modules	
8003881	11072612	Splitter Bracker – Accepts 1x8 PDI Splitter	



## COYOTE® FIBER CABLE HOIST PRODUCTS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
COYFHS-001	11182877	COYOTE Fiber Hoist Housing Kit – Includes (1) Fiber Hoist Housing, (1) Standard Bracket, (1) Safety Tether, and (1) Warning Flag	
COYFHS-100	11182876	COYOTE Fiber Hoist Cable Installation Kit – Includes fiber hoisting clip, two (2) Dead-Ends, temporary blocking tube for confirmation of bundle height	
COYFHS-002	11182875	COYOTE Fiber Hoist Wall Cap Bracket Kit – Includes bracket for mounting to the roof side of the knee wall when railings are an obstruction	
COYFHS-003	11182874	COYOTE Fiber Hoist Long Extension Bracket Kit – Includes bracket for extending beyond the wall cap to avoid a molding obstruction that may be several floors down	
COYFHS-200	11182873	Hoist Fiber System Weight Bag – Weight bag is used during the process of installing the pulling tape down the exterior surface of the building	
COYFHS-300	11184742	Fiber Hoist Base Bracket	

## SLACKLOOP® CABLE STORAGE





PLP Part Number	Verizon SSI Code	Description	Visual Depiction
FIS12M	11363908 MMID 10830521	Plastic SLACKLOOP® Cable Storage Brackets – Includes (2) 12" diameter storage brackets with messenger hanger brackets; for cables up to 0.60" in diameter	
FIS12A	11363907 MMID 10830520	Plastic SLACKLOOP® Cable Storage Brackets – Includes (2) 12" diameter storage brackets with ADSS hanger brackets; for cables up to 0.60" in diameter	
FIS16M	11363906 MMID 10830560	Plastic SLACKLOOP® Cable Storage Brackets – Includes (2) 16" diameter storage brackets with messenger hanger brackets; for cables up to 0.80" in diameter	
FIS16A	11363905 MMID 10830572	Plastic SLACKLOOP® Cable Storage Brackets – Includes (2) 16" diameter storage brackets with ADSS hanger brackets; for cables up to 0.80" in diameter	
710012375A	11363901 MMID 10830546	Plastic SLACKLOOP® Cable Storage Brackets – Center-Lock System – Includes (2) ADSS Cables with Abrasion Protectors for Pole Passing and (10) DELTEC Cable Ties	
FISA24MB	11363899 MMID 10832181	Aluminum SLACKLOOP® Cable Storage Brackets – Includes (2) 24" diameter storage brackets with messenger hanger brackets; for cables up to 1.20" in diameter	
FISA24AB	11363898 MMID 10832203	Aluminum SLACKLOOP® Cable Storage Brackets – Includes (2) 24" diameter storage brackets with ADSS hanger brackets; for cables up to 1.20" in diameter	
FISA30MB	11363897 MMID 10832180	Aluminum SLACKLOOP® Cable Storage Brackets – Includes (2) 30" diameter storage brackets with messenger hanger brackets; for cables up to 1.50" in diameter	
FISA30AB	11363896 MMID 10832204	Aluminum SLACKLOOP® Cable Storage Brackets – Includes (2) 30" diameter storage brackets with ADSS hanger brackets; for cables up to 1.50" in diameter	
FDC8M	11363904 MMID 10830517	SLACKLOOP® Drop Cable Storage Bracket with messenger hanger brackets for In-Span Applications; for cables up to 0.40" in diameter	
FDC8A	11363903 MMID 10830563	SLACKLOOP® Drop Cable Storage Bracket with ADSS hanger brackets for In-Span Applications; for cables up to 0.40" in diameter	
FDC8P	11363902 MMID 10830547	SLACKLOOP® Drop Cable Storage Bracket with lag bolts for Pole/Wall Mount and Vault Applications; for cables up to 0.40" in diameter	
7400030	11363900 MMID 10830501	SLACKLOOP® Drop Cable Storage Bracket – Stacking Kit with Spacers for Aerial, Pole/Wall or Vault Applications	




## FIBERLIGN® DIELECTRIC DEAD-ENDS & ACCESSORIES FOR ADSS CABLE

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
2872004C1E1	747883 MMID 10833722	FIBERLIGN Limited Tension Dead-End for Cable Range 0.482"-0.510" with Thimble Clevis & Extension Link	
2872005C1E1	87278257 MMID 10833723	FIBERLIGN Limited Tension Dead-End for Cable Range 0.511"-0.542" with Thimble Clevis & Extension Link	
2872006C1E1	506852 MMID 10833691	FIBERLIGN Limited Tension Dead-End for Cable Range 0.543"-0.577" with Thimble Clevis & Extension Link	
2872007C1E1	506853 MMID 10833732	FIBERLIGN Limited Tension Dead-End for Cable Range 0.578"-0.613" with Thimble Clevis & Extension Link	
2872008C1E1	11051087 MMID 10833724	FIBERLIGN Limited Tension Dead-End for Cable Range 0.614"-0.651" with Thimble Clevis & Extension Link	
2872009C1E1	534403 MMID 10833733	FIBERLIGN Limited Tension Dead-End for Cable Range 0.652"-0.692" with Thimble Clevis & Extension Link	
2872010C1E1	87260985 MMID 10833696	FIBERLIGN Limited Tension Dead-End for Cable Range 0.693"-0.737" with Thimble Clevis & Extension Link	
2872011C1E1	87214589 MMID 10833713	FIBERLIGN Limited Tension Dead-End for Cable Range 0.738"-0.784" with Thimble Clevis & Extension Link	
2872012C1E1	523657 MMID 10833734	FIBERLIGN Limited Tension Dead-End for Cable Range 0.785"-0.834" with Thimble Clevis & Extension Link	
2872100C1E1	11051088 MMID 10833697	FIBERLIGN Medium Tension Dead-End for Cable Range 0.482"-0.510" with Thimble Clevis & Extension Link	
2872101C1E1	921449 MMID 10833714	FIBERLIGN Medium Tension Dead-End for Cable Range 0.511"-0.542" with Thimble Clevis & Extension Link	
2872102C1E1	534404 MMID 10833735	FIBERLIGN Medium Tension Dead-End for Cable Range 0.543"-0.577" with Thimble Clevis & Extension Link	
2872103C1E1	534472 MMID 10833715	FIBERLIGN Medium Tension Dead-End for Cable Range 0.578"-0.613" with Thimble Clevis & Extension Link	
2872104C1E1	534473 MMID 10833736	FIBERLIGN Medium Tension Dead-End for Cable Range 0.614"-0.651" with Thimble Clevis & Extension Link	
2872105C1E1	534466 MMID 10833698	FIBERLIGN Medium Tension Dead-End for Cable Range 0.652"-0.692" with Thimble Clevis & Extension Link	
2872106C1E1	534474 MMID 10833709	FIBERLIGN Medium Tension Dead-End for Cable Range 0.693"-0.737" with Thimble Clevis & Extension Link	
2872107C1E1	11051089 MMID 10833725	FIBERLIGN Medium Tension Dead-End for Cable Range 0.738"-0.784" with Thimble Clevis & Extension Link	
2872108C1E1	11051090 MMID 10833699	FIBERLIGN Medium Tension Dead-End for Cable Range 0.785"-0.834" with Thimble Clevis & Extension Link	
28729791C2E1	534475 MMID 10833700	FIBERLIGN High Tension Dead-End for Cable Range 0.580"-0.600" with Thimble Clevis & Extension Link	


## FIBERLIGN® DIELECTRIC DEAD-ENDS & ACCESSORIES FOR ADSS CABLE

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
71002366	523656 MMID 10833765	14" Extension Link with Eye Nut	
TC-5A	89005320 MMID 10833816	Thimble Clevis	
YC-5207	534482 MMID 10833842	20,000 lbs. Y-Clevis for ADSS Cable Range 0.459"-0.625"	
YC-5209	534483 MMID 10833843	25,000 lbs. Y-Clevis for ADSS Cable Range 0.626"-1.057"	

## FIBERLIGN® DIELECTRIC SUPPORT (FDS) FOR ADSS CABLE


PLP Part Number	Verizon SSI Code	Description	Visual Depiction
44009952	87266750 MMID 10833743	FIBERLIGN Dielectric Support for Cable Range 0.476"-0.525". Used for cable spans up to 600 ft.	
44009823	477834 MMID 10833710	FIBERLIGN Dielectric Support for Cable Range 0.526"-0.575". Used for cable spans up to 600 ft.	
44009798	506854 MMID 10833726	FIBERLIGN Dielectric Support for Cable Range 0.576"-0.625". Used for cable spans up to 600 ft.	
44009776	534477 MMID 10833701	FIBERLIGN Dielectric Support for Cable Range 0.626"-0.675". Used for cable spans up to 600 ft.	
44009799	534476 MMID 10833727	FIBERLIGN Dielectric Support for Cable Range 0.676"-0.750". Used for cable spans up to 600 ft.	
44009878	562744 MMID 10833742	FIBERLIGN Dielectric Support for Cable Range 0.751"-0.825"	
44009963	523658 MMID 10833737	FIBERLIGN Dielectric Support for Cable Range 0.826"-0.900". Used for cable spans up to 600 ft.	

## FIBERLIGN® ALUMINUM SUPPORT (FAS) FOR ADSS CABLE


PLP Part Number	Verizon SSI Code	Description	Visual Depiction
4450100	933793 MMID 10833738	FIBERLIGN Aluminum Support for Cable Range 0.476"-0.525". Used for cable spans up to 600 ft.	
4450101	933794 MMID 10833739	FIBERLIGN Aluminum Support for Cable Range 0.526"-0.575". Used for cable spans up to 600 ft.	
4450102	933795 MMID 10833728	FIBERLIGN Aluminum Support for Cable Range 0.576"-0.625". Used for cable spans up to 600 ft.	
4450103	933796 MMID 10833711	FIBERLIGN Aluminum Support for Cable Range 0.626"-0.675". Used for cable spans up to 600 ft.	
4450104	933797 MMID 10833740	FIBERLIGN Aluminum Support for Cable Range 0.676"-0.750". Used for cable spans up to 600 ft.	




## FIBERLIGN® ALUMINUM SUSPENSION (FASN) WITH/WITHOUT STRUCTURAL RODS FOR ADSS CABLE CONTINUED

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
4450200S	933783 MMID 10833741	FIBERLIGN Aluminum Suspension w/o Rods for Cable Range 0.476"-0.525". Used for cable spans up to 600 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4450201S	933784 MMID 10833752	FIBERLIGN Aluminum Suspension w/o Rods for Cable Range 0.526"-0.575". Used for cable spans up to 600 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4450202S	933785 MMID 10833716	FIBERLIGN Aluminum Suspension w/o Rods for Cable Range 0.576"-0.625". Used for cable spans up to 600 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4450203S	933786 MMID 10833729	FIBERLIGN Aluminum Suspension w/o Rods for Cable Range 0.626"-0.675". Used for cable spans up to 600 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4450204S	933787 MMID 10833762	FIBERLIGN Aluminum Suspension w/o Rods for Cable Range 0.676"-0.750". Used for cable spans up to 600 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4470200S	933788 MMID 10833744	FIBERLIGN Aluminum Suspension w/ Rods for Cable Range 0.476"-0.500" Used for cable spans up to 1200 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4470201S	933789 MMID 10833717	FIBERLIGN Aluminum Suspension w/ Rods for Cable Range 0.501"-0.550". Used for cable spans up to 1200 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4470202S	933790 MMID 10833763	FIBERLIGN Aluminum Suspension w/ Rods for Cable Range 0.551"-0.625". Used for cable spans up to 1200 ft. and line angles up to 30°. Kit includes (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4470203S	933791 MMID 10833730	FIBERLIGN Aluminum Suspension w/ Rods for Cable Range 0.626"-0.700". Used for cable spans up to 1200 ft. and line angles up to 30°. Kit includes: (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	
4470204S	933792 MMID 10833753	FIBERLIGN Aluminum Suspension w/ Rods for Cable Range 0.701"-0.737"; Used for cable spans up to 1200 ft. and line angles up to 30°. Kit includes: (1) AS-5L Anchor Shackle and (1) 5/8" Eye-Nut.	


## FIBERLIGN® DIELECTRIC DAMPERS FOR ADSS CABLE

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
50502272	395019 MMID 10833718	FIBERLIGN Dielectric Damper for Cable Range 0.327"-0.461"	
50502274	506859 MMID 10833745	FIBERLIGN Dielectric Damper for Cable Range 0.462"-0.563"	
50509862	506858 MMID 10833719	FIBERLIGN Dielectric Damper for Cable Range 0.564"-0.770"	
50503057	923679 MMID 10833721	FIBERLIGN Dielectric Damper for Cable Range 0.771"-0.876"	


## FIBERLIGN® CABLE ABRASION PROTECTOR FOR ADSS CABLE

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
PTG-0203	477836 MMID 10833832	FIBERLIGN Cable Abrasion Protector for Cable Range 0.501"-1.00" (6 ft length)	

## ADSS-CORONA™ COIL

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
50603760	921452 MMID 10833767	ADSS-CORONA Coil for FIBERLIGN Dead-Ends and Suspensions with O.D. range of Structural Reinforcing Rods 0.688"-0.741"	
50603745	921451 MMID 10833773	ADSS-CORONA Coil for FIBERLIGN Dead-Ends and Suspensions with O.D. range of Structural Reinforcing Rods 0.742"-0.844"	

## FIBERLIGN® DOWNLEAD CUSHIONS FOR ADSS CABLE

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003041	381110 MMID 10833755	FIBERLIGN Downlead Cushion for Cable Range 0.375"-0.468"	
8003042H1	921450 MMID 10833782	FIBERLIGN Downlead Cushion for Cable Range 0.469"-0.562". Includes Hardware Kit for wood pole mount	
8003042	77833	FIBERLIGN Downlead Cushion for Cable Range 0.469"-0.562"	
8003043	506857 MMID 10833754	FIBERLIGN Downlead Cushion for Cable Range 0.563"-0.656"	
8003044	534497 MMID 10833768	FIBERLIGN Downlead Cushion for Cable Range 0.657"-0.750"	



## ARMADILLO® STAINLESS STEEL SPLICE CASE KITS – WITHOUT BONDING

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006021	521351	4" x 25" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006319	521151	6.5" x 22" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006022	521350	6.5" x 28" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006024	521352	6.5" x 38" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006261	521152	8" x 28" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006262	341413	8" x 38" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006263	341414	8" x 45" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006023	521349	9.5" x 28" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006025	521348	9.5" x 38" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006177	529965	9.5" x 45" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006669	569380	9.5" x 53" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006251	528681	12.5" x 28" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006252	528682	12.5" x 38" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006253	528683	12.5" x 45" ARMADILLO S.S.S.C. without Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8000624	521357	4" x 25" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006326	87205896	6.5" x 22" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8000626	521358	6.5" x 28" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8000634	521360	6.5" x 38" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006320	87016609	8" x 28" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006321	87207769	8" x 38" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006322	87040135	8" x 45" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8000630	521359 MMID 10568142	9.5" x 28" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8000635	521361	9.5" x 38" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2 section End Plates and uses LOCK-TAPE™ Sealant	

## ARMADILLO® STAINLESS STEEL SPLICE CASE KITS – WITH BONDING



PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006176	11045523	9.5" x 45" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006668	11045572	9.5" x 53" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006219	87201117	12.5" x 28" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006220	11045525	12.5" x 38" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006221	11045524	12.5" x 45" ARMADILLO S.S.S.C. with Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	

## ARMADILLO® STAINLESS STEEL SPLICE CASE KITS WITH FILLING FLANGE – NO BONDING

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006283	521136	4" x 25" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	<p style="text-align: center;">End Plate</p>
8006394	521204	6.5" x 22" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006239	528699	6.5" x 28" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006241	528700	6.5" x 38" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006395	521205	8" x 28" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006396	521206	8" x 38" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006397	521207	8" x 45" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006240	528701	9.5" x 28" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006242	528702	9.5" x 38" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006249	520049	9.5" x 45" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006271	520984	12.5" x 28" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	



## ARMADILLO® STAINLESS STEEL SPLICE CASE KITS WITH FILLING FLANGE AND BONDING

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006272	520985	12.5" x 38" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	  End Plate
8006273	520986	12.5" x 45" ARMADILLO S.S.S.C. with Filling Flange and without Bonding Hardware. Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006704	11045571	4" x 25" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006705	11045570	6.5" x 28" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006706	11045569	6.5" x 38" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006707	11045568	8" x 28" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006708	11045567	8" x 38" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006710	11045565	9.5" x 28" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006711	11045564	9.5" x 38" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006712	11045563	9.5" x 45" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006713	11045562	12.5" x 28" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006714	11045561	12.5" x 38" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, & Filling Flange Pressure Relief Valve – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006715	11045560	12.5" x 45" ARMADILLO S.S.S.C. with Filling Flange, Bonding Hardware, and Filling Flange Pressure Relief Valve – Includes (2) 3-Section End Plates and uses LOCK-TAPE™ Sealant	

## ARMADILLO® STAINLESS STEEL SPLICE CASE – SHELL KITS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006041	526130	6.5" x 28" ARMADILLO S.S.S.C. Shell Kit	
8006043	528703	6.5" x 38" ARMADILLO S.S.S.C. Shell Kit	
8006387	521201	8" x 28" ARMADILLO S.S.S.C. Shell Kit	
8006388	521202	8" x 38" ARMADILLO S.S.S.C. Shell Kit	
8006389	521203	8" x 45" ARMADILLO S.S.S.C. Shell Kit	
8006186	525005	9.5" x 28" ARMADILLO S.S.S.C. Shell Kit	
8006187	525006	9.5" x 38" ARMADILLO S.S.S.C. Shell Kit	
8006188	525007	9.5" x 45" ARMADILLO S.S.S.C. Shell Kit	
8003461	11046985	9.5" x 53" ARMADILLO S.S.S.C. Shell Kit	
8006268	520094	12.5" x 28" ARMADILLO S.S.S.C. Shell Kit	
8006269	520619	12.5" x 38" ARMADILLO S.S.S.C. Shell Kit	
8006270	521155	12.5" x 45" ARMADILLO S.S.S.C. Shell Kit	
8006509	406958	12.5" x 65" ARMADILLO S.S.S.C. Shell Kit	

## ARMADILLO® STAINLESS STEEL SPLICE CASE – VAULT KITS WITH BONDING

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006132	528689	4" x 25" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006133	87203984	6.5" x 28" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006134	11046983	6.5" x 38" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006447	11045574	8" x 28" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006448	11045573	8" x 38" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006449	11046984	8" x 45" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006066	11045577	9.5" x 28" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006069	11045576	9.5" x 38" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006197	11045575	9.5" x 45" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 2-Section End Plates and uses LOCK-TAPE™ Sealant	
8006279	87208935	12.5" x 28" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 3-Section End Plates and uses LOCK-TAPE™ Sealant	
8006280	87040136	12.5" x 38" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 3-Section End Plates and uses LOCK-TAPE™ Sealant	<p>End Plate Vault 2-Section with NO Air Valve / NO Ground Insert</p>
8006281	87040137	12.5" x 45" ARMADILLO S.S.S.C. Vault Kit with Bonding Hardware – Includes (2) Flame Retardant 3-Section End Plates and uses LOCK-TAPE™ Sealant	



## ARMADILLO® STAINLESS STEEL SPLICE CASE – SHELL KIT – NO AIR VALVE, NO FILLING FLANGE

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006824	11045506	4" x 25" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006825	11045505	6.5" x 28" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006826	11045503	6.5" x 38" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006833	11046982	8" x 28" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006834	11046981	8" x 38" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006835	11046980	8" x 45" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006827	11045504	9.5" x 28" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006828	11045502	9.5" x 38" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	
8006829	11046979	9.5" x 45" ARMADILLO S.S.S.C. Shell Kit without Air Valve and Filling Flange	


## ARMADILLO® STAINLESS STEEL SPLICE CASE – SHELL KITS – AIR VALVE ONLY

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006750	11045051	4" x 25" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006474	11045500	6.5" x 28" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006751	11045498	6.5" x 38" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006776	11046978	8" x 28" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006777	11046977	8" x 38" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006778	11046976	8" x 45" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006779	11045499	9.5" x 28" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006780	89006883	9.5" x 38" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	
8006781	11046975	9.5" x 45" ARMADILLO S.S.S.C. Shell Kit with Air Valve Only	


## ARMADILLO® STAINLESS STEEL SPLICE CASE – SHELL KITS WITH FILLING FLANGE ONLY

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006756	11045497	4" x 25" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006244	11045496	6.5" x 28" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006246	11045494	6.5" x 38" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006391	11046974	8" x 28" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006392	11046973	8" x 38" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006393	11046972	8" x 45" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006245	11045495	9.5" x 28" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006247	11045493	9.5" x 38" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	
8006250	11046971	9.5" x 45" ARMADILLO S.S.S.C. Shell Kit with Filling Flange Only	

## ARMADILLO® STAINLESS STEEL SPLICE CASE – TOP SHELL KITS WITH FILLING FLANGE ONLY




PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006413	521208	4" x 25" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006414	521209	6.5" x 22" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006415	521210	6.5" x 28" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006416	521211	6.5" x 38" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006417	521212	8" x 28" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006418	521213	8" x 38" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006419	521214	8" x 45" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006420	521215	9.5" x 28" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006421	521216	9.5" x 38" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006422	521217	9.5" x 45" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006423	521218	12.5" x 28" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006424	521219	12.5" x 38" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	
8006425	521223	12.5" x 45" ARMADILLO S.S.S.C. Top Shell Half with Filling Flange, Netting and Funnel	

## ARMADILLO® STAINLESS STEEL SPLICE CASE END PLATES – NO AIR VALVE, NO GROUND INSERT



PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003539	926681	4", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	 <p>End Plate without Air Valve/ NO Ground Insert</p>
8000379	522505	4", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (2) End Plates	
8003540	926682	6.5", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	
8000380	522506	6.5", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (2) End Plates	
8000361	522521	6.5", 3-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plates	
8003541	926683	8", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	
8003098	521153	8", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (2) End Plates	
8003110	521154	8", 3-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	
8003542	926684	9.5", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	
8000381	522507	9.5", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (2) End Plates	
800081098	522389	9.5", 3-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	
8003284	87205428	12.5", 2-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	
8003055	528685	12.5", 3-Section ARMADILLO Drillable End Plate without Air Valve or Grounding Insert – Includes (1) End Plate	



## ARMADILLO® STAINLESS STEEL SPLICE CASE END PLATES WITH AIR VALVE AND GROUND INSERT

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003560	926533	4", 2-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
8003561	926534	6.5", 2-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
80805365	926535	6.5", 3-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
8003562	926530	8", 2-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
8003533	926529	8", 3-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
8003563	926531	9.5", 2-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
80805376	89006880	9.5", 3-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
8003564	926532	12.5", 2-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	
8003367	89006881	12.5", 3-Section ARMADILLO Drillable End Plate with Air Valve & Grounding Insert – Includes (1) End Plate	

## ARMADILLO® STAINLESS STEEL SPLICE CASE – END PLATES WITH AIR VALVE ONLY


PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003082	528686	6.5", 2-Section ARMADILLO Drillable End Plate with Air Valve Only – Includes (1) End Plate	
8003130	87234463	8", 2-Section ARMADILLO Drillable End Plate with Air Valve Only – Includes (1) End Plate	
8003083	528687	9.5", 2-Section ARMADILLO Drillable End Plate with Air Valve Only – Includes (1) End Plate	
8003122	528688	12.5", 3-Section ARMADILLO Drillable End Plate with Air Valve Only. Includes (1) End Plate	
8003086	87221629	12.5", 3-Section ARMADILLO Drillable End Plate with Air Valve Only – Includes (1) End Plate	

## ARMADILLO® STAINLESS STEEL SPLICE CASE – VAULT CLOSURE END PLATE KITS




PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003085	528698	ARMADILLO Drillable Vault End Plate for Feeder Cables. 6.5", 2-Section Includes (1) End Plate, <b>Flame Retardant</b>	 <p>End Plate Vault 2 Section with NO Air Valve / NO Ground Insert</p>
8003090	529515	ARMADILLO Drillable Vault End Plate for Tip Cables. 6.5", 2-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8003074	528696	ARMADILLO Drillable Vault End Plates for Feeder Cables. 6.5", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8003084	528697	ARMADILLO Drillable Vault End Plate for Tip Cables. 6.5", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8003113	521199	ARMADILLO Drillable Vault End Plate for Feeder Cables. 8", 2-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8003115	521200	ARMADILLO Drillable Vault End Plate for Feeder Cables. 8", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8080501	407981	ARMADILLO Drillable Vault End Plate for Tip Cables. 8", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80804320	521241	ARMADILLO Drillable Vault End Plate for Tip Cables. 8", 4-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80804321	521242	ARMADILLO Drillable Vault End Plate for Tip Cables. 8", 5-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80804322	521243	ARMADILLO Drillable Vault End Plate for Tip Cables. 8", 6-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80802682	523881	ARMADILLO Drillable Vault End Plate for Feeder Cables. 9.5", 2-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8000387	524999	ARMADILLO Drillable Vault End Plate for Feeder Cables. 9.5", 2-Section Includes (2) End Plate, <b>Flame Retardant</b>	
8003012	521369	ARMADILLO Drillable Vault End Plate for Feeder Cables. 9.5", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80802669	521370	ARMADILLO Drillable Vault End Plate for Feeder & Tip Cables. 9.5", 4-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80802671	524997	ARMADILLO Drillable Vault End Plate for Feeder & Tip Cables. 9.5", 2-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80802893	528977	ARMADILLO Drillable Vault End Plate for Feeder Cables. 9.5", 4-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80802667	524996	ARMADILLO Drillable Vault End Plate for Tip Cables. 9.5", 4-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80802511	529966	ARMADILLO Drillable Vault End Plate for Tip Cables. 9.5", 6-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8000398	523205	ARMADILLO Drillable Vault End Plate for Tip Cables. 9.5", 2-Section 36-Port Includes (1) End Plate & B-Sealant, <b>Flame Retardant</b>	
8003081	528694	ARMADILLO Urethane Vault End Plate for Tip Cables. 9.5", 1-Section 36-Port Includes (1) End Plate & B-Sealant, <b>Flame Retardant</b>	
8003053	528684	ARMADILLO Drillable Vault End Plate for Feeder Cables. 12.5", 2-Section Includes (1) End Plate, <b>Flame Retardant</b>	
8003102	520201	ARMADILLO Drillable Vault End Plate for Feeder Cables. 12.5", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80804054	521156	ARMADILLO Drillable Vault End Plate for Feeder & Tip Cables. 12.5", 3-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80804042	521157	ARMADILLO Drillable Vault End Plate for Feeder & Tip Cables. 12.5", 4-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80804043	521158	ARMADILLO Drillable Vault End Plate for Feeder & Tip Cables. 12.5", 5-Section Includes (1) End Plate, <b>Flame Retardant</b>	




## ARMADILLO® STAINLESS STEEL SPLICE CASE – VAULT CLOSURE END PLATE KITS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80803818	520562	ARMADILLO Drillable Vault End Plate Tip Cables. 12.5", 6-Section Includes (1) End Plate, <b>Flame Retardant</b>	
80803813	520687	ARMADILLO Drillable Vault End Plate Tip Cables. 12.5", 7-Section Includes (1) End Plate, <b>Flame Retardant</b>	

## ARMADILLO® STAINLESS STEEL SPLICE CASE ACCESSORIES




PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003089	529332	Coupler Kit for 6.5" ARMADILLO S.S.S.C.	
8003031	526117	Coupler Kit for 9.5" ARMADILLO S.S.S.C.	
8003105	521159	Re-encapsulation Kit – Includes (1) Check Valve and (1) Funnel with Tubing	
8003629	933544	Encapsulation Pressure Injection Kit	
80805925	11012055	1" Roll of LOCK-TAPE™ Sealant	
80801953	528125	1-1/2" W x 12' L Roll of LOCK-TAPE™ Sealant for ARMADILLO Drillable End Plates	
80801954	528126	2-1/2" W x 12' L Roll of LOCK-TAPE™ Sealant for ARMADILLO Drillable End Plates	
80801953	528125	1-1/2" W x 12' L Roll of LOCK-TAPE™ Sealant for ARMADILLO Drillable End Plates	
80801954	528126	2-1/2" W x 12' L Roll of LOCK-TAPE™ Sealant for ARMADILLO Drillable End Plates	
80801955	528127	3" W x 12' L Roll of LOCK-TAPE™ Sealant for ARMADILLO Drillable End Plates	
80801566	524241	Shell Lubricant (8 oz. jar)	
80801796	521231	Green Sealant. Used for blocking of air and moisture between sheath layers	
80806434	918706	1-1/2" W x 6' L Roll of R-Sealant for ARMADILLO Sealing Washer End Plates	
80802683	538067	10 oz. Tube of Silicone Sealant for ARMADILLO Drillable Vault End Plates	
80802377	521166	4 oz. can of C-Cement	
80805238	539476	1 oz. tube of C-Cement	
80802790	525002	LOCKBAR™ Fastening System for 4" x 25" ARMADILLO S.S.S.C.	
80802789	525003	LOCKBAR™ Fastening System for all 28" ARMADILLO S.S.S.C.	
80802791	525004	LOCKBAR™ Fastening System for all 38" ARMADILLO S.S.S.C.	
80802792	521339	LOCKBAR™ Fastening System for all 45" ARMADILLO S.S.S.C.	
80803792	521161	Stiffener Bar for 12.5" x 28" ARMADILLO S.S.S.C. (3rd support bar for 12.5" End Plate)	
80803799	521162	Stiffener Bar for 12.5" x 38" ARMADILLO S.S.S.C. (3rd support bar for 12.5" End Plate)	
80803877	521164	Stiffener Bar for 12.5" x 45" ARMADILLO S.S.S.C. (3rd support bar for 12.5" End Plate)	
80804938	912271	Stiffener Bar for 12.5" x 65" ARMADILLO S.S.S.C. (3rd support bar for 12.5" End Plate)	

## ARMADILLO® STAINLESS STEEL SPLICE CASE ACCESSORIES

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80851245	521101	Torque Bar for 4" x 25" ARMADILLO S.S.S.C.	
80803994	521165	Torque Bar for 6.5" x 22" ARMADILLO S.S.S.C.	
80850952	521102	Torque Bar for 28" ARMADILLO S.S.S.C. (6.5", 8", & 9.5")	
80850985	521103	Torque Bar for 38" ARMADILLO S.S.S.C. (6.5", 8", & 9.5")	
80803788	521160	Torque Bar for 12.5" x 28" ARMADILLO S.S.S.C.	
80802591	521163	Torque Bar for 45" ARMADILLO S.S.S.C. (8", 9.5", & 12.5")	
8000452	632341	Power End Plate Cutter (only)	
8000454	405864	Power End Plate Cutter with Case and Blade Kit	
80801944	575119	Drill Chuck Socket Adapter for Power Drill	
8000468	407587	Power End Plate Cutter Lift Kit. Used for 9.5" and 12.5" Drillable End Plates with Future Cable Ports	
80803377	375897	Cutting Blade Adapter for Power End Plate Cutter	
8000445	573638	Carrying Case for Power End Plate Cutter	
8000428	575826	Torque Wrench Kit – Includes (1) 3/8" Drive Torque Wrench, (1) 3/8" Drive Ratchet Wrench, (1) 7/16" Socket, (1) 1/2" Socket, and (1) 6" Extension	
8000461	571929	Power End Plate Cutter Kit – Includes Cable Shaper, Blade and Bit Kit, Power End Plate Cutter and Carrying Case	
8000453	571205	Blade Kit (Blades A-Z)	
80803501	952207	Cutting Blade Storage Box	
8000417A	573636	A Cutting Blade (3/8" Boring Bit) for Power End Plate Cutter – 1 blade	
8000417B	573637	B Cutting Blade (1/2" Boring Bit) for Power End Plate Cutter – 1 blade	
8000417C	570941	C Cutting Blade (5/8" Boring Bit) for Power End Plate Cutter – 1 blade	
8000417D	570942	D Cutting Blade (3/4" Boring Bit) for Power End Plate Cutter – 1 blade	
8000417E	570943	E Cutting Blade (.875") for Power End Plate Cutter – 1 blade	
8000417F	570944	F Cutting Blade (1.000") for Power End Plate Cutter – 1 blade	
8000417G	570945	G Cutting Blade (1.125") for Power End Plate Cutter – 1 blade	
8000417H	570946	H Cutting Blade (1.250") for Power End Plate Cutter – 1 blade	
8000417I	570947	I Cutting Blade (1.375") for Power End Plate Cutter – 1 blade	
8000417J	570948	J Cutting Blade (1.500") for Power End Plate Cutter – 1 blade	
8000417K	570949	K Cutting Blade (1.625") for Power End Plate Cutter – 1 blade	
8000417L	570950	L Cutting Blade (1.750") for Power End Plate Cutter – 1 blade	










## ARMADILLO® STAINLESS STEEL SPLICE CASE ACCESSORIES

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8000417M	570951	M Cutting Blade (1.875") for Power End Plate Cutter – 1 blade	
8000417N	570952	N Cutting Blade (2.000") for Power End Plate Cutter – 1 blade	
8000417O	570953	O Cutting Blade (2.125") for Power End Plate Cutter – 1 blade	
8000417P	570954	P Cutting Blade (2.250") for Power End Plate Cutter – 1 blade	
8000417Q	570955	Q Cutting Blade (2.375") for Power End Plate Cutter – 1 blade	
8000417R	570956	R Cutting Blade (2.500") for Power End Plate Cutter – 1 blade	
8000417S	570957	S Cutting Blade (2.625") for Power End Plate Cutter – 1 blade	
8000417T	570958	T Cutting Blade (2.750") for Power End Plate Cutter – 1 blade	
8000417U	570959	U Cutting Blade (2.875") for Power End Plate Cutter – 1 blade	
8000417V	570960	V Cutting Blade (3.000") for Power End Plate Cutter – 1 blade	
8000417W	570961	W Cutting Blade (3.125") for Power End Plate Cutter – 1 blade	
8000417X	570914	X Cutting Blade (3.250") for Power End Plate Cutter – 1 blade	
8000417Y	575801	Y Cutting Blade (3.375") for Power End Plate Cutter – 1 blade	
8000417Z	575802	Z Cutting Blade (3.500") for Power End Plate Cutter – 1 blade	
8000417AA	571033	AA Cutting Blade (3.625") for Power End Plate Cutter – 1 blade	
8000417BB	571034	BB Cutting Blade (3.750") for Power End Plate Cutter – 1 blade	
8000417CC	571035	CC Cutting Blade (3.850") for Power End Plate Cutter – 1 blade	
8000417DD	571036	DD Cutting Blade (4.000") for Power End Plate Cutter – 1 blade	
80802134	375898	Blade Retaining Screw for Power End Plate Cutter	
80801151	952206	1/2" Deep Well Socket	
80805788	530832	3/8" Socket Drive Adapter	
8000420	575537	Socket Wrench Kit – Includes (1) 3/8" Drive Ratchet Wrench, (1) 7/16" Socket, (1) 1/2" Socket, & (1) 6" Extension	
80803967	579347	3/8" Drive Adjustable Torque Wrench	
80851659	700 247 373	Electric Drill with Socket for Power End Plate Cutter	
8000432	575827	End Plate Removal Tool for Drillable End Plates	
8000422	578867	Cable Shaper Tool. Used to shape cable sheaths before installing end plates	
8003096	529516	Cable Sheath Restoral Kit	
80803344	528695	Vault Closure Plug. Used in unused ports of Urethane Fire Retardant End Plates	
8003045	526131	External Bond Clamp Kit for LOCKBAR™ Assemblies	
80801195	526132	External Bond Clamp Kit for Non-LOCKBAR™ Assemblies. Used on old style closures	
8003087	528704	External Ground Fitting Kit. Used with End Plates with Stainless Steel Air Flange Inserts	
80802545	529519	External Ground Screw (5/16" x 3/4" Hex Bolt)	
8006264	520385	BUNDLE-LOCK Kit. Used to wrap a splice bundle in unfilled closures	
8003527	918699	ARMADILLO S.S.S.C. Manhole Support Assembly Kit	

## ARMADILLO® STAINLESS STEEL SPLICE CASE ACCESSORIES



PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8003156	521237	ARMADILLO Strand Aerial Hanger Bracket. Contains 2 assemblies	
8000309	524155	Bolt & Nut Kit for 4" ARMADILLO S.S.S.C.	
8000308	952205	Bolt & Nut Kit for 6.5" and 9.5" ARMADILLO S.S.S.C.	
80806724	700 251599/ 918696	Bonding Kit for 4" x 25" ARMADILLO S.S.S.C. Kit – Includes (2) Large Red Pair Protectors, (2) Small Green Pair Protectors, (2) Bonding Braids with Eyelets, (1) 30" Braid with Insulation, and (3) Shield Connectors	
80806725	700 251 600/ 91869	Bonding Kit for 28" ARMADILLO S.S.S.C. Kit – Includes (6) Large Red Pair Protectors, (2) Small Green Pair Protectors, (2) Bonding Braids with Eyelets, (1) 42" Braid with Insulation, and (3) Shield Connectors	
80806726	700 251 601/ 918698	Bonding Kit for 38" ARMADILLO S.S.S.C. Kit – Includes (6) Large Red Pair Protectors, (2) Small Green Pair Protectors, (2) Bonding Braids with Eyelets, (1) 52" Braid with Insulation, and (3) Shield Connectors	
80803520	376844	Reducing Bushing (3/4" to 1/8") for ARMADILLO S.S.S.C.	
8003033	529517	Flame Retardant Tape Kit – Includes (1) 1-1/2" W x 27' L Roll	
80800552	520109	Air Flange Plug for ARMADILLO S.S.S.C.	
8003097	528800	24" W x 40' L Roll of Plastic Netting. Used to wrap splice bundles prior to encapsulation	
80806592	700 251 609/ 918705	25" Roll of Prep Tape for ARMADILLO Sealing Washer End Plates	

## SERVISEAL® AND BLACK-JACK™ CLOSURES AND ACCESSORIES


PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8006137	914156	Ranger SERVISEAL. Used for up to 6 pairs	
8006039	87001032	Super SERVISEAL. Used up to 12 pairs	
80008946	558037	Vial Replacement Kit for Ranger SERVISEAL	
80851909	377339	Vial Replacement Kit for Super SERVISEAL	
8006508	87210662	BLACK-JACK Closure – Used for 25-Pair In-Line Applications	
8006318	87004320	BLACK-JACK Closure – Used for 25-Pair Butt Applications	
8006681	87278547	BLACK-JACK Closure – Used for 50-Pair In-Line Applications	



## SERVI-BOND™ SHIELD CONNECTORS & PAIR PROTECTORS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
8000737	318249	4.5" Harness with Floating Hook Terminal SERVI-BOND Shield Connector. Used for 2 Pair or 3 Pair Service Cable	
8000738	318250	4.5" Harness with Floating Hook Terminal SERVI-BOND Shield Connector. Used for 5 Pair or 6 Pair Service Cable	
8000747	523766	14" Harness with Floating Hook Terminal SERVI-BOND Shield Connector. Used for 5 Pair or 6 Pair Service Cable	
8000749	386497	4.5" Harness with Floating Ring Terminal SERVI-BOND Shield Connector. Used for 2 Pair or 3 Pair Service Cable	
8000750	386499	4.5" Harness with Floating Ring Terminal SERVI-BOND Shield Connector. Used for 5 Pair or 6 Pair Service Cable	
8000752	512991	4.5" Harness with Floating Hook Terminal SERVI-BOND Shield Connector. Used for 12 Pair Service Cable	
800011296	934220	4.5" Harness with Floating Hook Terminal with 1/4" Stud Hole SERVI-BOND Shield Connector. Used for 5 Pair or 6 Pair Service Cable	
8000719BX	11068625	Large Red Pair Protector (1.25" x 2.5")	
8000720BX	11068626	Small Green Pair Protector (1" x 2.5")	



## STRAND & CABLE PRODUCTS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
AWDE-4122	513116 MMID 10833747	GUY-GRIP® Dead-End (16M), Aluminum-Clad Steel	
BDE-9102	11063193 MMID 10833783	GUY-GRIP Dead-End (3/16"), *Mischmetal Alloy (AL/ZN) Strand	
BDE-9104	11001998 MMID 10833749	GUY-GRIP Dead-End (1/4"), Mischmetal Alloy (AL/ZN) Strand	
BDE-9106	11001999 MMID 10833784	GUY-GRIP Dead-End (5/16"), Mischmetal Alloy (AL/ZN) Strand	
BDE-9107	11002000 MMID 10833769	GUY-GRIP Dead-End (3/8"), Mischmetal Alloy (AL/ZN) Strand	
BDE-9108	11002001 MMID 10833770	GUY-GRIP Dead-End (7/16"), Mischmetal Alloy (AL/ZN) Strand	
GDE-2102	513103 MMID 10833803	GUY-GRIP® Dead-End (3/16"), Galvanized Steel C-Coat	
GDE-2104	513104 MMID 10833777	GUY-GRIP Dead-End (1/4"), Galvanized Steel C-Coat	
GDE-2106	513105 MMID 10833761	GUY-GRIP Dead-End (5/16"), Galvanized Steel C-Coat	
GDE-2107	513106 MMID 10833812	GUY-GRIP® Dead-End (3/8"), Galvanized Steel C-Coat	
GDE-2108	513107 MMID 10833813	GUY-GRIP Dead-End (7/16"), Galvanized Steel C-Coat	
BG-2115	513108 MMID 10833793	Big-Grip Dead-End (1/2"), Galvanized Steel C-Coat	

**NOTE:** PLP mischmetal formed wire products are acceptable for use with Bezinal® and Galfan® coated strands.

\*Bezinal® is a registered trademark of the Bekaert Corporation. Galfan® is a registered trademark of the Galfan Technology Centre, LLC.

## STRAND & CABLE PRODUCTS




PLP Part Number	Verizon SSI Code	Description	Visual Depiction	
BFDE-9121	11001997 MMID 10833775	False Dead-End (1/4"), Mischmetal Alloy (AL/ZN) Strand		
BFDE-9123	11001996 MMID 10833792	False Dead-End (5/16"), Mischmetal Alloy (AL/ZN) Strand		
BFDE-9124	11001995 MMID 10833771	False Dead-End (3/8"), Mischmetal Alloy (AL/ZN) Strand		
BFDE-9125	11001994 MMID 10833756	False Dead-End (7/16"), Mischmetal Alloy (AL/ZN) Strand		
GFDE-2121	522303 MMID 10833797	False Dead-End (1/4"), Galvanized Steel C-Coat		
GFDE-2123	5223304 MMID 10833796	False Dead-End (5/16"), Galvanized Steel C-Coat		
GFDE-2124	522305 MMID 1083308	False Dead-End (3/8"), Galvanized Steel C-Coat		
GFDE-2125	522306 MMID 10833807	False Dead-End (7/16"), Galvanized Steel C-Coat		
GFDE-2126	87202022 MMID 10833806	False Dead-End (1/2"), Galvanized Steel C-Coat		
DE-2506	574456 MMID 10833804	Figure-8 Messenger Dead-End (Cable Diameter 0.083"), Galvanized Steel		
AWDE-4511	367235	Open Wire Dead-End (AWG-11), Aluminum-Clad Steel		
CWDE-5509	531302 MMID 10833760	Open Wire Dead-End (AWG-10), Copper-Clad Steel		
GDE-2501	531306 MMID 10833805	Open Wire Dead-End (BWG-12), Galvanized Steel		
GDE-2503	522315 MMID 10833814	Open Wire Dead-End (BWG-10), Galvanized Steel		
BLSR-9122	11001989 MMID 10833776	Reducing Splice (5/16" to 1/4"), Mischmetal Alloy (AL/ZN) Strand		
BLSR-9123	11001988 MMID 10833758	Reducing Splice (3/8" to 5/16"), Mischmetal Alloy (AL/ZN) Strand		
BLSR-9125	11063195 MMID 10833759	Reducing Splice (3/8" to 1/4"), Mischmetal Alloy (AL/ZN) Strand		
LSR-2122	526637 MMID 10833810	Reducing Splice (5/16" to 1/4"), Galvanized Steel C-Coat		
LSR-2123	526638 MMID 10833823	Reducing Splice (3/8" to 5/16"), Galvanized Steel C-Coat		
LSR-2124	526639 MMID 10833779	Reducing Splice (7/16" to 3/8"), Galvanized Steel C-Coat		
LSR-2125	343960 MMID 10833786	Reducing Splice (3/8" to 1/4"), Galvanized Steel C-Coat		
AWLS-4116	700 221 396 MMID 10833748	Strand Splice (10M), Aluminum-Clad Steel		

**NOTE:** PLP mischmetal formed wire products are acceptable for use with Bezinat® and Galfan® coated strands.

\*Bezinat® is a registered trademark of the Bekaert Corporation. Galfan® is a registered trademark of the Galfan Technology Centre, LLC.






## STRAND & CABLE PRODUCTS CONTINUED

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
BLS-9104	11001993 MMID 10833751	Strand Splice (1/4"), *Mischmetal Alloy (AL/ZN) Strand	
BLS-9106	11001992 MMID 10833750	Strand Splice (5/16"), Mischmetal Alloy (AL/ZN) Strand	
BLS-9107	11001991 MMID 10833794	Strand Splice (3/8"), Mischmetal Alloy (AL/ZN) Strand	
BLS-9108	11001990 MMID 10833757	Strand Splice (7/16"), Mischmetal Alloy (AL/ZN) Strand	
GLS-2104	526625 MMID 10833778	Strand Splice (1/4"), Galvanized Steel Extra High Strength C-Coat	
GLS-2106	526626 MMID 10833815	Strand Splice (5/16"), Galvanized Steel Extra High Strength C-Coat	
GLS-2107	526624 MMID 10833809	Strand Splice (3/8"), Galvanized Steel Extra High Strength C-Coat	
GLS-2108	526627 MMID 10833785	Strand Splice (7/16"), Galvanized Steel Extra High Strength C-Coat	
GLS-2109	526628 MMID 10833811	Strand Splice (1/2"), Galvanized Steel Extra High Strength C-Coat	
NDE-8500	513120 MMID 10833824	Buried Line Wire Dead-End (2 #19 Copper)	
NDE-8501	551501 MMID 10833822	Buried Line Wire Dead-End (2 #16 Copper)	
NDE-9502	531291 MMID 10833788	C-Rural Dead-End (2 #14 CW). 15" Length	
NDE-8502	531294 MMID 10833798	C-Rural Dead-End (2 #14 CW). 22" Length	
NDE-8503	531292 MMID 10833787	C-Rural Dead-End (2 #12 CW). 30" Length	
CWDE-5509	531302 MMID 10833760	Open Wire Dead-End (AWG-10), Copper-Clad Steel	
ETS-2101	537381 MMID 10833795	Tangent Support (2 #14 CW), Elongated Loop	
ETS-3101	574458 MMID 10833802	Tangent Support (2 #14 CW), Elongated Loop	
TS-2100	537383 MMID 10833834	Tangent Support (2 #14 CW), Standard Loop	
TS-2103	537382 MMID 10833801	Tangent Support (2 #12 CW), Standard Loop	


**NOTE:** PLP mischmetal formed wire products are acceptable for use with Bezinat® and Galfan® coated strands.

\*Bezinat® is a registered trademark of the Bekaert Corporation. Galfan® is a registered trademark of the Galfan Technology Centre, LLC.


## GUY GUARDS, TREE GUARDS, AND PEDESTAL MARKERS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
GWM-7101	000 632 489	3/4" Ground Wire Molding	
PG-5750	475583 MMID 10833799	Guy Marker, Orange and Yellow, 2 Piece 8 ft. Round Profile with 2 Cable Tie Attachments	
PG-5752	478073 MMID 10833780	Guy Marker, Orange, 2 Piece Orange 8 ft. Round Profile with 2 Cable Tie Attachments	
PG-5718	MMID 10833823	Guy Marker, 8 ft., Yellow	
PM-6216	337431 MMID 10833826	Pedestal Marker, Orange 6 ft.	
7000200	347609 MMID 10833774	Pedestal Marker Clamp	
PTG-0130	522809 MMID 10833781	Tree Guard (Diameter Range 0.543"-0.568"), Grey 3 ft.	
PTG-0136	522810 MMID 10833800	Tree Guard (Diameter Range 0.599"-0.641"), Grey 3 ft.	
PTG-0139	522811 MMID 10833817	Tree Guard (Diameter Range 0.642"-0.706"), Grey 3 ft.	

## AIR FLOW SPOILERS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
5058101	395020 MMID 10833720	Air Flow Spoiler for Self-Supporting Cables (Diameter Range 0.327 -0.461") & Cables with Messenger Wire Diameter Range less than 0.400").	
5058102	528779 MMID 10833772	Air Flow Spoiler for Self-Supporting Cables (Diameter Range 0.462 -0.563") & Cables with Messenger Wire (Diameter Range 0.319 -0.574").	
5058103	528780 MMID 10833766	Air Flow Spoiler for Self-Supporting Cables (Diameter Range 0.564 -0.760") & Cables with Messenger Wire (Diameter Range 0.319 -0.717").	
5058104	528781 MMID 10833764	Air Flow Spoiler for Self-Supporting Cables (Diameter Range 0.761 -0.926") & Cables with Messenger Wire (Diameter Range 0.496 -0.896").	
5058105	528782 MMID 10833746	Air Flow Spoiler for Self-Supporting Cables (Diameter Range 0.927 -1.019") & Cables with Messenger Wire (Diameter Range 0.717 -1.041").	
50589319	528785 MMID 10833731	Air Flow Spoiler for Cables with Messenger Wire (Diameter Range 1.471 -1.770")	


## POLE PLUG

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
PP0625B	11284404 MMID 10833789	Pole Plug for 9/16" and 5/8". For steel and composite poles	
PP0750B	11284405 MMID 10833833	Pole Plug for 11/16" and 3/4". For steel and composite poles	


**NOTE:** PLP mischmetal formed wire products are acceptable for use with Bezinal® and Galfan® coated strands.

\*Bezinal® is a registered trademark of the Bekaert Corporation. Galfan® is a registered trademark of the Galfan Technology Centre, LLC.

## SAFETY GUY-WIRE DISPENSER

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
SGD-0700	401 398 540 MMID 10833827	Safety Guy-Wire Dispenser	

## CABLE CAPS

PLP Part Number	Verizon SSI Code	Description	Visual Depiction
80803606	520392	Cable Cap with Air Valve (Diameter Range 0.75"-1.25")	
80803610	520394	Cable Cap with Air Valve (Diameter Range 1.25"-1.50")	
80803614	520396	Cable Cap with Air Valve (Diameter Range 1.75"-2.25")	
80803618	520398	Cable Cap with Air Valve (Diameter Range 2.25"-2.75")	
80803622	520400	Cable Cap with Air Valve (Diameter Range 2.75"-3.25")	
80803626	520402	Cable Cap with Air Valve (Diameter Range 3.25"-3.75")	





**GLOBAL HEADQUARTERS**  
660 BETA DRIVE  
CLEVELAND, OHIO 44143

+1 440 461 5200  
INFO@PLP.COM  
PLP.COM

© 2022 Preformed Line Products  
Printed in U.S.A.  
CO-ML-1298-2  
11.22.2C