


## Galvanized BIRD-FLIGHT™ Diverter

Be sure to read and completely understand this procedure before applying product. Be sure to select the proper size PREFORMED™ product before application.




## GENERAL

The Galvanized BIRD-FLIGHT Diverter is designed for use on down guys to create greater visibility for avian flight paths. It is suitable for application on galvanized strand.

THIS IS NOT FOR USE IN ENERGIZED SITUATIONS.


## Step #1

Mark the cable at the desired installation point. Diverters should be placed at 15' (4.6m) intervals for optimal visibility.




Step #2

Install the first of the 4 subsets by lining up the color mark on the product with the marked location on the galvanized strand.




Step #3

Continue installing the balance of the subsets, aligning the loops in the center and then wrapping on the legs. Evenly space the subsets to get a symmetrical orientation on the cable.



**Step #4** Completely install the legs and snap the rod ends into place.



## SAFETY CONSIDERATIONS

This application procedure is not intended to supersede any company construction or safety standards. This procedure is offered only to illustrate safe application for the individual. **FAILURE TO FOLLOW THESE PROCEDURES MAY RESULT IN PERSONAL INJURY OR DEATH.** 

This product may be removed and reinstalled during the initial installation if it is in good condition. After extended service life, it is recommended the product not be reused once removed from service.

Do not modify this product under any circumstances.

This product is intended for use by trained technicians only. This product should not be used by anyone who is not familiar with, and not trained to use it.

When working in the area of energized lines, extra care should be taken to prevent accidental electrical contact.

For proper performance and personal safety, be sure to select the proper size PREFORMED product before application.

PREFORMED products are precision devices. To insure proper performance, they should be stored in cartons under cover and handled carefully.



P.O. Box 91129, Cleveland, Ohio 44101 • 440.461.5200 • www.preformed.com • e-mail: inquiries@preformed.com