




PREFORMED LINE PRODUCTS
The connection you can count on.

COYOTE® STP (Service Termination Point)



COMMUNICATIONS



ENERGY



SPECIAL INDUSTRIES



SOLAR

PLP® Fiber Optic Products

COYOTE® STP (Service Termination Point)

Description

Network operators value the security of each splice and desire rugged closures along the entire fiber route to ensure that they can maintain the high level of service today's customers demand. Traditionally, fiber optic products offered to address the last connection point at the customer premises have been less durable and contain marginal sealing systems. Since every splice in your network is critical, why risk compromising your service levels at the final connection? With the COYOTE® STP, you no longer have to.


The COYOTE® STP is a small scale, cost effective closure which provides an alternative to traditional network interface devices, while offering much greater application flexibility. The robust latch system, paired with an integrated overmolded cover, allows for quick re-entry and creates a secure seal over a wide range of cable profiles. The STP is ideal for use where the optical network terminal (ONT) is on the inside of a premises.

Features

Size	10.13" x 4.96" x 1.91" (257 x 126 x 49 mm)
Application	Indoor/Outdoor Premises, Pedestal, Wall/Pole Network Interface Device (NID)
Degree of Protection	In accordance to TELCORDIA® GR-771-CORE Above Grade, IP-67 Rated
Material Construction	Rugged UV Stabilized, Flame Retardant Material (UL94-5VA Rated)

Max Splice Capacity	12 Single Fusion, 4 Mechanical
Max Adapter Quantity	2 Simplex SC, 2 Duplex LC
Grommet Quantity	2 (Multi-Hole Grommets Available)
Grommet Range	0.100" - 0.425" (2.5 - 10.8 mm) and Flat Drop




Custom Configurations Available
See Ordering Instructions on Page 4.



COYOTE STP Cross-Connect with Bonding and Grounding
Catalog No. STP-EE-4-1-2-2

COYOTE STP Direct Cross-Connect
Catalog No. STP-HH-5-1-1-N

PLP® Fiber Optic Products
NETWORK CONFIGURATION












COYOTE STP Splice Only
Catalog No. STP-GG-1-N-0-N






ect





COYOTE® STP Ordering Instructions

Catalog Number Example: STP-GG-3-1-2-2



STP – XX – X – X – X – X

Grommet Selection Select 2		Cable Diameter Range
A		SOLID / PLUG
B		.100" - .154" (2.5 - 3.9 mm) ROUND CABLES
C		.154" - .250" (3.9 - 6.4 mm) ROUND CABLES
D		.250" - .350" (6.4 - 8.9 mm) ROUND CABLES
E		.350" - .389" (8.9 - 9.9 mm) ROUND CABLES
F		.389" - .425" (9.9 - 10.8 mm) ROUND CABLES
G		FOR FLAT DROP CABLES
H		.100" - .123" (2.5 - 3.1 mm) ROUND CABLES
J		.154" - .188" (4.0 - 4.8 mm) ROUND CABLES

Organizer Options Select 1	
1	
	Splice Only
2	
	Splice + Bonding & Grounding
3	
	Cross-Connect
4	
	Cross-Connect + Bonding & Grounding
5	
	Direct Cross-Connect

Adapter Type Select 1	
N	NONE
1	
	SC/APC
2	
	SC/UPC
3	
	LC/APC
4	
	LC/UPC

Adapter Quantity
0 to 2

Pigtails Required Select 1 (Matches adapter type and quantity)	
N	NONE
1	
	900 micron
2	
	3 mm Jacketed

Accessories

Catalog No.	Description
80061322	COYOTE STP External Shroud Kit
80061323	COYOTE STP Pedestal Mounting Bracket Kit for Charles Industries PEDLOCK® BD4 and BD5 Buried Cable Pedestals

PEDLOCK® is a registered trademark of Charles Industries Ltd.



PREFORMED
LINE PRODUCTS

World Headquarters
660 Beta Drive
Cleveland, Ohio 44143

Mailing Address:
P.O. Box 91129
Cleveland, Ohio 44101

Telephone: 440.461.5200

Fax: 440.442.8816

Web Site: www.preformed.com

E-mail: inquiries@preformed.com

© 2017 Preformed Line Products

Printed in U.S.A.

CO-SS-1167-2

09-17-IH

