




PREFORMED LINE PRODUCTS

The connection you can count on.




PRODUCT OVERVIEW

DISTRIBUTION





- **ARMOR-GRIP® Suspension Unit**
- **Trunnion ARMOR-GRIP Suspension Unit**
- **Vertical Bundling Link for Twin Conductor Suspension**
- **TWIN-TIES**
- **Armored Road Crossing TWIN-TIES**
- **WRAPLOCK® TIE**
- **Side and Spool Ties**
- **Armor Rods**
- **Line Guards**
- **Armor Splice**
- **Lashing Rods**
- **Earth Guard**
- **PVC Spacer**
- **Line Splice**
- **Full Tension Line Splice**
- **T-Connector**
- **Conductor Cleaning Brush**
- **Parallel Groove Clamps**
- **Dead End**
- **Aluminium Alloy Thimble Clevis**
- **Thimble Clevis Malleable Iron**
- **Thimble Socket**
- **Thimble Socket (Arching Horn Type)**
- **Thimble Regulating Eye**
- **Helical Arching Horn**
- **GUY-GRIP®**
- **Pole Top Make-off**
- **Pulling Eye**
- **Insulated Stay**
- **Double-Wrap GUY-GRIP®**
- **Spiral Vibration Damper High Impact PVC**
- **Pigtails**
- **Stayrod Assemblies**



TRANSMISSION

- ARMOR-GRIP® Suspension Unit
- CUSHION-GRIP™ Suspension
- ARMOR-GRIP® Support
- Dogbone® Vibration Damper
- FIBERLIGN® Multi-Response Damper
- Helical Wire Spacer
- CUSHION-GRIP™ Spacer Damper
- ARMOR-GRIP® Spacer
- Big-Grip Dead-End
- VARI-GRIP™ Dead-End
- Splice Shunt
- Suspension Fittings
- Armor Rods
- Line Guards
- Galvanized Steel Forgings
- Galvanized Steel Yoke Plates
- Strain and Suspension String Sets



SUBSTATION



SUBLIGN Clamps for Stranded Conductor and BUSLIGN for Tubular Conductor

- Coupling Clamps
- Support Clamps
- Expansion Clamps
- Tap-Off Clamps
- Welded Inserts
- End Caps
- Earthing Clamps
- Spacers
- Palm Connectors
- Stud Connectors

Testing:


All Powerformed Sublign and Buslign fittings have undergone extensive testing as per latest Eskom specifications.






ENVIRONMENTAL


- Bird Flight Diverter
- Double Loop Bird Flight Diverter
- Kite-Type PVC Bird Diverter
- RAPTOR™ Protector
- Bird Flapper with Helical Attachment
- Bird Flapper Live Wire
- Aircraft Warning Device (Sphere)
- Small Aircraft Warning Device (Sphere) for Distribution (MV) Lines
- Viper Bird Flapper



OPGW




- FIBERLIGN® Suspension
- FIBERLIGN® Dielectric Dead-end
- FIBERLIGN® Dead-end Optical Ground Wire (OPGW)
- FIBERLIGN® Aluminium Earth Bonds
- FIBERLIGN® Spiral Vibration Damper
- FIBERLIGN® Air Flow Spoiler
- FIBERLIGN® Insulated Downlead Clamp
- FIBERLIGN® Non-insulated Downlead Clamp for OPGW
- FIBERLIGN® Downlead Cushioned Clamp
- FIBERLIGN® Insulated Helical Attachment Downlead Clamp for OPGW
- FIBERLIGN® Non-insulated Helical Attachment Downlead Clamp for OPGW
- FIBERLIGN® Insulated Mono Pole Downlead Clamp for OPGW
- FIBERLIGN® Non-insulated Mono Pole Downlead Clamp for OPGW
- FIBERLIGN® Downlead Clamp for OPGW Application Information
- PREFORMED™ Metal Dome Closure for ADSS and OPGW
- Slack Brackets
- COYOTE™ Fibre Optic Closures




TELE - COMMUNICATION


- GUY-GRIP®
- Double-Wrap Guy Grip
- Thimble Grip
- Communications Spacers
- Lashing Rods
- Air Flow Spoiler
- Figure 8 and Lashed Messenger Cables
- Telecoms Suspender Clip
- Telecoms Dead Ends
- FIBERLIGN® Suspension Tie (Tangent Support) for Short Span ADSS
- Communication Ties
- FIBERLIGN® Thimble Type Dead End For Short Span ADSS
- Dead-ends for Telephone Dropwire



COYOTE CLOSURES



- COYOTE® DTC (Drop Termination Closure)
- COYOTE® LCC (Low Count Closure)
- COYOTE® In-Line RUNT Closure
- COYOTE® ONE Dome Closure
- COYOTE® Dome Closures
- COYOTE® Terminal Dome Closure Family
- COYOTE® Terminal Closure Family
- COYOTE® GLC (Ground Level Closure)
- COYOTE® Cross-Connect Closures
- COYOTE® Splitters
- COYOTE® MPC (Multi-Purpose Closure)
- COYOTE® Access Solutions™ Pre-Terminated Cabinets
- COYOTE® Fiber Wall Plate
- COYOTE® ACE (Adaptable Connection Enclosure)
- COYOTE® Mounting Brackets




RACK TECHNOLOGIES


- Quick release door hinges make for ease of installation
- Acrylic, Curved Perforated or Steel doors available, left or right swing with key lock
- Hinge wall bracket is lockable and contains knock-outs for cable entry
- Hinge wall bracket adds 100mm to the depth
- All cabinets come with knock-outs
- Door flush with frame - curved protrudes 50mm
- Welded body, removable sides with lock, adjustable shelf rails with RU markings
- Cabinet can be fixed directly to the wall or attached to a hinge wall bracket
- Suitable for Education Dept applications
- Fan and filters are available
- Black in colour



ACRYLIC




CURVED PERFORATED






STEEL



AGRICULTURE



- VINE-LINE® Double Wrap Grip (VDWG)
- VINE-LINE® Brace Tie (VBT)
- VINE-LINE® Splice (VS)
- VINE-LINE® Thimble Grip (VTG)
- VINE-LINE® Suspension Tie (VST)
- VINE-LINE® Tree Tie (TST)
- Galvanized Fence Grips (GFG)



SOLAR

- POWER-FAB® CRS Mounts (CRS)
- Ballasted Power Rail Mounts (BPRM)
- Ballasted Roof Mounts (BRM)
- Power Rail™ Mounting Systems (PRM)
- Power Rail™ KTS Mounts (KTS)
- Awning Mounts (AM)
- Power-Box™ Enclosures (PBB) and Indoor Battery Cabinets (Optional)
- Multi-Pole Mounts (MPM-G2)
- Top-of-Pole Mounts (TPM)
- Side-of-Pole Mounts (SPM)
- Large Ground Mounts (LGM)
- Power Peak™ Ground Mounts

