

## BIRD GUARD

The **BIRD GUARD (BG 1000)** is designed to prevent smaller birds from roosting on critical parts of the tower, and to reduce bird related faults. Its design & quality of material allows the Bird Guard to withstand the long periods of harsh weather conditions. The Bird Guard is applicable to the entire grid where lattice towers are used.

### Features and Benefits

- Material: UV Stabilized Polypropylene - Long life span
- Approx Length: 1m
- Approx Mass: 1.3kg
- Interlocking and scalable
- Honeycomb base reduces mass whilst maintaining strength and provides alternative mounting capability
- Designed for rigid installation
- Tapered edges prevents harm to birds




## ► Bird Guard


Catalog Number :BG 1000




BG 1000 is made out of two pieces of BG 500




Location for the slot end of the one BG 500 & the tab of the other BG 500.



The two BG 500 pieces must be securely locked in place



Configuration 1



Configuration 2



## ► BIRD GUARD Specifications

### Specifications

Catalog Numbers	Description	Material	Quantity
BG 1000	1m Bird Guard	UV Stabilised Polypropylene	1
	Fastening strap	Stainless Steel	-

#### NOTES:

Fastening Straps Are Sold Separately



## **PREFORMED** LINE PRODUCTS

The connection you can count on.

Preformed Line Products  
180 Ohrtmann Road  
Willowton, Pietermaritzburg  
KwaZulu-Natal, South Africa

Mailing Address:  
P.O. Box 4015  
Willowton Pietermaritzburg, 3200

Telephone: +27 (0) 33 397 5800  
Fax: +27 (0) 333877094  
Web Site: [www.preformed.com/za/](http://www.preformed.com/za/)  
E-mail: [plppmb@preformedsa.co.za](mailto:plppmb@preformedsa.co.za)

© 2020 Preformed Line Products  
Printed in SOUTH AFRICA